



德国总部：德国荣易科技集团有限公司

地址：德国杜塞尔多夫市克雷费尔德街19号
 邮箱/E-mail: awen@rtwj.com 邮编/Zip Code: 40549
 网址/Website: www.roeasy.de / www.roeasy.hk

GERMANY ROEASY TECHNOLOGY GROUP LIMITED

Adds: Krefelder Str.19,40549 Duesseldorf Germany.

中国区运营总公司：广东荣宇泰企业管理有限公司

地址：广州市白云区沙太路283号天健广场A1201-04
 电话/Tel: 020-36756028 传真/Fax: 020-36756028
 邮箱/E-mail: xgp@rtwj.com 网址/Website: www.ro-easy.com

GUANGDONG RONGYUTAI ENTERPRISE INC.

Adds: Room A1201-04, Tianjian International Decoration Plaza,
 No.283, Shatai Road, Guangzhou, China.

中国区独家代理公司：广州市荣泰五金制品有限公司

地址：广州市白云区蟠蜆东路4号（天健广场入口右侧荣泰五金广东总部）2栋
 电话/Tel: 0086-20-87046681 87046683 传真/Fax: 0086-20-87046682
 邮箱/E-mail: info@cnrongtai.com
 网址/Website: www.rt-hardware.com / www.rt-hardware.net

GUANGZHOU RONGTAI HARDWARE PRODUCTS LIMITED

Adds: No.4 East Chanchushi Rd., Baiyun District, Guangzhou, China.
 (On the Right from the Tianjian Squire Main Entrance,
 Guangdong Headquarters of Rongtai Hardware)

生产基地：广东省汕头市荣易金属塑胶制品厂

工厂地址：广东省汕头市澄海区东里镇塘西工业区尾巷1号
 电话/Tel: 0086-754-85751190 传真/Fax: 0086-754-85752879

SHANTOU ROEASY HARDWARE PLASTIC PRODUCTS FACTORY

Factory Address: No.1, East Side, Tangxi Industrial Zone, Dongli,
 Chenghai, Shantou, Guangdong, China.

荣易
 ROEASY ISO9001:2000 認證企業



Door Hardware

Door Lock Door Hinge Door Stopper

DOOR LOCK

不锈钢门锁产品画册



名曰廣告 [佛山] TEL:13923140158



荣易
ROEASY

Hongkong Rongtai Hardware(Group) Co.,Ltd,(short as Rongtai Group) was established in 1990.

Rongtai Group is a modern enterprise which's combining: manufacturing ; technique; trading and service. Also owned the world wide famous brands: ROEASY,Ronglisi, Kaili, Kechuang, Hequn, Meking, TDS,Suogu, etc.

In 2015 RONGTAI Group established a new brand ROEASY, it is for global marketing. With the management approach of Quality first and Customer foremost , there was already a complete set of normalization, scientific and standardization quality management measures and quality control system. We believe ROEASY can offer more professional, more scientific and more humanistic products for our life!

Group Overview

鎖具的使用與維護 Two Use & Maintenance Of Locks


- 鎖具在使用過程中，應注意其維護與保養。
- 1、經常檢查緊固螺絲有否鬆動，并確保緊固。
 - 2、鎖頭在使用過程中，定期（一年）或在鑰匙插拔不順暢時，可在鎖芯槽內抹入少許石墨粉或鉛筆粉或鉛筆粉以確保鑰匙插拔順暢。但切忌加入其他任何油類來做潤滑作用，以避免油脂粘住彈珠、彈簧，導致鎖頭不能轉動而不能開啓。
 - 3、經常檢查鎖體與鎖扣板的配合間隙，鎖舌與鎖扣板孔的高低配合是否相宜，門與門框的配合間隙最佳爲1.5mm-2.5mm。如發現有變化，應調整門上鉸鏈或鎖扣板的位置，同時注意因天氣（春天潮濕，冬天干燥）而引起的冷縮熱脹，以確保門與門框、鎖體與鎖扣板的間隙配合合理，以確保鎖具使用順暢。
 - 4、含腐蝕性的物質不得與門鎖接觸，以免破壞鎖面的保護層，影響鎖面的光澤度。
 - 5、鎖表面經常用干净的干、濕軟布輕輕擦拭，以保持長久的光澤。
1. Keep the rotating parts of the locks always lubricating to make smooth rotaion and prolong the service life.It is recommended to check the locks once a year if the fastening screws are loose to ensure fastening.
2. When the key is not smooth for insertion in using the lock head,apply some graphite powder or pencil powder in the lock bolt to ensure smooth insertion of keys.But avoid by all means filling with any other oils to lubricate to avoid the grease from sticking to the springs which will make the lock head unable to rotate and open.
3. Check often if the spacing between the lock body and latch plate,the heights of lock bolt and latch plate hole are all proper.The best spacing between the door and door frame is 1.5 to 2.5mm.If there are any changes,it is supposed to adjust the door hinge or the position of the latch plates.And meanwhile,pay attention to the contraction and expansion by the weather to ensure a reasonable spacing between the door and door frame,lock body and latch plate and to ensure a smooth using of locks.
4. Do not clean the lock body and handle with wet mop,or the plating coat of the locks will be wormthe position of the latch plates.And meanwhile,pay attention to the contraction and expansion by the weather to ensure a reasonable spacing between the door and door frame,lock body and latch plate and to ensure a smooth using of locks.
5. Lock surface should be cleaned by the dry&soft colth to keep the beautiful appearance.

Contents

目錄

門鎖系列		Door Lock Series
001-005	GL	Stainless Steel Villa Door Lock 不銹鋼別墅門鎖
006-013	TD	Stainless Steel Security Door Multifunctional Door Lock 不銹鋼防盜門多功能門鎖
014-022	LA	300mm Stainless Steel Door Lock 300mm 不銹鋼門鎖
023-041	LB	260mm Stainless Steel Door Lock 260mm 不銹鋼門鎖
042-064	MA	200mm Stainless Steel Door Lock 200mm 不銹鋼門鎖
065	MA	Stainless Steel Door Lock 單舌不銹鋼門鎖
066-068	MA	185mm Stainless Single Latch Door Lock 185mm 不銹鋼單舌門鎖
069-077	KT	Separate Stainless Steel Door Lock 分體不銹鋼門鎖
078	MA/LB/LA	Mortise Lock 面板
079-088	Door Hardware Series 門用五金系列	
089	Key Management System 鑰匙管理系統	
090	Hardware Color Code 五金的顏色代碼	

荣易 ROE'ASY GL Stainless Steel Villa Door Lock GL 不銹鋼別墅門鎖



6487 不銹鋼美標鎖體系統
Stainless steel American standard lock body system

材質: SUS304不銹鋼
Material: SUS304 Stainless steel

表面處理: 拉絲
Surface finish: Satin Stainless Steel

門邊距: 64mm
Surface finish: 64mm




鎖體中心距: 87 (mm)
Lockbody center distance: 87(mm)

主要功能: 鎖體方舌鑰匙開啓方式, 方舌雙行程
Function: Key lock to open the way to the tongue, double tongue side trip

特性: 斜舌可調整左式, 右式
Characteristic: Oplique bolt turn left and right open


適用範圍: 房間門、入戶門、各類木質門
Available For: Room door, entrance door, all kinds of wooden door

6487不銹鋼美標鎖體 6487 Stainless steel American standard lock body 電腦鎖匙 Computer Keys




鎖體尺寸 Lock Body size 鎖芯尺寸 Lock cylinder size

改變鎖體開門方向(換向)
Change the opening direction of the lock body(exchange direction)



(1) 將1號螺絲移走并移開2號主面板, 移走3號螺絲。
(2) 取掉4號換向卡v銷, 并移開6號面板墊板。
(3) 松開5號斜舌連塊導向螺絲, 拉開7號斜舌, 并且調轉它的方向180°。
(4) 依順序安裝好, 檢查鎖的開啓狀況。
Remove the 1# screw and put the 2# main faceplate away then draw away the 3# screw.
Take out the 4# reversing bolt and draw away the 6# backing board of faceplate.
Loosen the 5# guide screws which connect the latch bolt, undraw the 7# latch bolt then transfer its direction 180°.
Installed in order, and inspect the open status of the lock.

安裝鎖體
Insatll The Cylinder



安裝說明
Installation Instruction

1. 利用紙規分別在門扇、門框上鑿孔
2. 確保斜舌面與開門方向一致
3. 安裝鎖體和外面板
4. 安裝鎖體, 確保鑰匙轉動靈活后, 擰緊鎖體緊固螺釘
5. 安裝方鐵和內面板, 確保把手和旋鈕轉動靈活
6. 安裝對側面板, 使其與鎖舌配合順暢
7. 調整各部件位置, 確保各功能動作靈活順暢
8. 擰緊所有螺釘

1. Drill Holes On Door And Doorframe As Indicated On The Template.
2. To Ensure The Bevel of Latch Bolt as The Direction of Door Closing.
3. Install The Lock Body And Outside Panel.
4. Install The Cylinder, Make The Key And Knob Move Smoothly And Then Tighten The Screws
5. Install Square Bar And Inside Panel To Ensure The Handle And The Knob Move Smoothly.
6. Install The Strike Plate, Enable Them To Match With Lock Bolt Smoothly.
7. Adjusting The Position Of All Components, Enable Lock Run Smoothly.
8. Tighten All Screws.


HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15



訂貨編號 (ITEM NO.):

GL-8101-CA/SS	Polished/Stain	亮光間沙光	
GL-8101-PVD	PVD	金色	
GL-8101-PVD/SS	PVD/Stain	金色間沙光	
GL-8101-SP	Stainless Steel Polished	不銹鋼拋光	
GL-8101-AB	Antique Brass	青古銅	
GL-8101-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



STAINLESS STEEL VILLA DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 64x87 lock body
Cylinder: Computre double-row
Lockbody center distance: 87mm
Available door thickness: 38-50mm
special door thickness: 50-65mm
Application range: Suitable for outside gate、gate、villa gate、bi-parting door locks.
Features: Adopts 85 American-Standard lock body, safe and reliable

不銹鋼別墅門鎖系列


主要材質: 304不銹鋼
表面處理: 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號: 64x87鎖體
鎖芯: 電腦雙排珠
鎖體中心距: 87mm
適用門厚: 38-50mm
特殊門厚: 50-65mm
使用範圍: 適用於戶外門、大門、別墅門、對開門假手鎖
特點: 採用87美標鎖體，安全可靠



訂貨編號 (ITEM NO.):

GL-8201-CA/SS	Polished/Stain	亮光間沙光	
GL-8201-PVD	PVD	金色	
GL-8201-PVD/SS	PVD/Stain	金色間沙光	
GL-8201-SP	Stainless Steel Polished	不銹鋼拋光	
GL-8201-AB	Antique Brass	青古銅	
GL-8201-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



STAINLESS STEEL VILLA DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 64x87 lock body
Cylinder: Computre double-row
Lockbody center distance: 87mm
Available door thickness: 38-50mm
special door thickness: 50-65mm
Application range: Suitable for outside gate、gate、villa gate、bi-parting door locks.
Features: Adopts 85 American-Standard lock body, safe and reliable

不銹鋼別墅門鎖系列


主要材質: 304不銹鋼
表面處理: 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號: 64x87鎖體
鎖芯: 電腦雙排珠
鎖體中心距: 87mm
適用門厚: 38-50mm
特殊門厚: 50-65mm
使用範圍: 適用於戶外門、大門、別墅門、對開門假手鎖
特點: 採用87美標鎖體，安全可靠



訂貨編號 (ITEM NO.):

GL-8303-CA/SS	Polished/Stain	亮光間沙光	
GL-8303-PVD	PVD	金色	
GL-8303-PVD/SS	PVD/Stain	金色間沙光	
GL-8303-SP	Stainless Steel Polished	不銹鋼拋光	
GL-8303-AB	Antique Brass	青古銅	
GL-8303-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm




STAINLESS STEEL VILLA DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 64x87 lock body
Cylinder: Computre double-row
Lockbody center distance: 87mm
Available door thickness: 38-50mm
special door thickness: 50-65mm
Application range: Suitable for outside gate、gate、villa gate、bi-parting door locks.
Features: Adopts 85 American-Standard lock body, safe and reliable

不銹鋼別墅門鎖系列


主要材質： 304不銹鋼
表面處理： 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號： 64x87鎖體
鎖芯： 電腦雙排珠
鎖體中心距： 87mm
適用門厚： 38-50mm
特殊門厚： 50-65mm
使用範圍： 適用於戶外門、大門、別墅門、對開門假手鎖
特點： 採用87美標鎖體，安全可靠



訂貨編號 (ITEM NO.):

GL-8401-CA/SS	Polished/Stain	亮光間沙光	
GL-8401-PVD	PVD	金色	
GL-8401-PVD/SS	PVD/Stain	金色間沙光	
GL-8401-SP	Stainless Steel Polished	不銹鋼拋光	
GL-8401-AB	Antique Brass	青古銅	
GL-8401-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm




STAINLESS STEEL VILLA DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 64x87 lock body
Cylinder: Computre double-row
Lockbody center distance: 87mm
Available door thickness: 38-50mm
special door thickness: 50-65mm
Application range: Suitable for outside gate、gate、villa gate、bi-parting door locks.
Features: Adopts 85 American-Standard lock body, safe and reliable

不銹鋼別墅門鎖系列

主要材質： 304不銹鋼
表面處理： 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號： 64x87鎖體
鎖芯： 電腦雙排珠
鎖體中心距： 87mm
適用門厚： 38-50mm
特殊門厚： 50-65mm
使用範圍： 適用於戶外門、大門、別墅門、對開門假手鎖
特點： 採用87美標鎖體，安全可靠



6068多功能防盜鎖體 6068 Multifunctional security lock body



70mm雙開鎖芯
70mm Double-open lock cylinder



電腦鎖匙 Computer Keys

6068

多功能防盜鎖體系統
Multifunctional security lock body system



材質:SUS304不銹鋼
Material: SUS304 Stainless steel



表面處理:拉絲
Surface finish:Satin Stainless Steel



門邊距:60mm
Surface finish: 60mm



鎖體中心距:68 (mm)
Lockbody center distance: 68(mm)




主要功能:鎖體方舌鑰匙開啓方式, 方舌雙行程
Function: Key lock to open the way to the tongue, double tongue side trip




特性:斜舌可調整左式, 右式
Characteristic: Oplique bolt turn left and right open



適用範圍:房間門、入戶門、各類木質門
Available For: Room door,entrance door,all kinds of wooden door




鎖體尺寸
Lock Body size



鎖芯尺寸
Lock cylinder size

產品安裝圖示
Installation indication




安裝說明

1. 利用紙規分別在門扇、門框上鑿孔
2. 確保斜舌面與開門方向一致
3. 安裝鎖體和外面板
4. 安裝鎖膽, 確保鑰匙轉動靈活后, 擰緊鎖膽緊固螺釘
5. 安裝方鐵和內面板, 確保把手和旋鈕轉動靈活
6. 安裝對側面板, 使其與鎖舌配合順暢
7. 調整各部件位置, 確保各功能動作靈活順暢
8. 擰緊所有螺釘

Installation Instruction


- 1.Drill Holes On Door And Doorframe As Indicated On The Template.
- 2.To Ensure The Bevel of Latch Bolt as The Direction of Door Closing.
- 3.Install The Lock Body And Outside Panel.
- 4.Install The Cylinder,Make The Key And Knob Move Smoothly And Then Tighten The Screws
- 5.Install Square Bar And Inside Panel To Ensure The Handle And The Knob Move Smoothly.
- 6.Install The Strike Plate,Enable Them To Match With Lock Bolt Smoothly.
- 7.Adjusting The Position Of All Components,Enable Lock Run Smoothly.
- 8.Tighten All Screws.



訂貨編號(ITEM NO.):

TD-A1-2 PVD/WG	PVD/Wood Grah	金色間木紋	
TD-A1-2 PVD/B	PVD/Free Wood Grah (Bronze)	金色間自由紋(青)	
TD-A1-2 PVD/R	PVD/Free Wood Grah (Red)	金色間自由紋(紅)	
TD-A1-2 PVD/AB	PVD/Antique Brass	金色間青古	
TD-A1-2 PVD/AC	PVD/Antique Copper	金色間紅古	

Size(尺寸圖) mm



STAINLESS STEEL SECURITY DOOR MULTIFUNCTIONAL DOOR LOCK SERIES

Material:304 Stainless steel

Finish:PVD/WG、PVD/B、PVD/R、PVD/AB、PVD/AC

Lock body: 60X68 lock body

Cylinder: Cylinder With Brass Computer Key

Lockbody center distance: 68mm

Available door thickness: 40-60mm

special door thickness: 70-90mm

Application range: Suitable for outside gate, gate, bi-parting door locks.

Features: Adopts 68 Multifunctional Security lock body, safe and reliable

不銹鋼防盜門多功能門鎖系列

主要材質: 304不銹鋼

表面處理: 木紋、自由紋(青)、自由紋(紅)、青古、紅古

鎖體型號: 60x68鎖體

鎖芯: 電腦開鎖芯


鎖體中心距: 68mm

適用門厚: 40-60mm

特殊門厚: 70-90mm

使用範圍: 適用於戶外門、大門、對開門假手鎖


特點: 採用68多功能防盜鎖體, 安全可靠



訂貨編號 (ITEM NO.):

TD-B1-2 CA/WG	Polished Finish/Wood Grah	亮光間木紋	
TD-B1-2 CA/GP	Polished Finish/Gold	亮光間金色	
TD-B1-2 CA/B	Polished Finish/Free Wood Grah (Bronze)	亮光間自由紋 (青)	
TD-B1-2 CA/R	Polished Finish/Free Wood Grah (Red)	亮光間自由紋 (紅)	
TD-B1-2 CA/AB	Polished Finish/Antique Brass	亮光間青古	
TD-B1-2 CA/AC	Polished Finish/Antique Copper	亮光間紅古	

Size (尺寸圖) mm




STAINLESS STEEL SECURITY DOOR MULTIFUNCTIONAL DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: PVD/WG, PVD/GP, PVD/B, PVD/R, PVD/AB, PVD/AC
Lock body: 60X68 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 68mm
Available door thickness: 40-60mm
special door thickness: 70-90mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 68 Multifunctional Security lock body, safe and reliable

不銹鋼防盜門多功能門鎖系列


主要材質: 304不銹鋼
表面處理: 木紋、金色、自由紋(青)、自由紋(紅)、青古、紅古
鎖體型號: 60x68鎖體
鎖芯: 電腦開鎖芯
鎖體中心距: 68mm
適用門厚: 40-60mm
特殊門厚: 70-90mm
使用範圍: 適用於戶外門、大門、對開門假手鎖
特點: 採用68多功能防盜鎖體, 安全可靠



訂貨編號 (ITEM NO.):

TD-A2 PVD/WG	PVD/Wood Grah	金色間木紋	
TD-A2 PVD/B	PVD/Free Wood Grah (Bronze)	金色間自由紋 (青)	
TD-A2 PVD/R	PVD/Free Wood Grah (Red)	金色間自由紋 (紅)	
TD-A2 PVD/AB	PVD/Antique Brass	金色間青古	
TD-A2 PVD/AC	PVD/Antique Copper	金色間紅古	

Size (尺寸圖) mm



STAINLESS STEEL SECURITY DOOR MULTIFUNCTIONAL DOOR LOCK SERIES


Material: 304 Stainless steel
Finish: PVD/WG, PVD/B, PVD/R, PVD/AB, PVD/AC
Lock body: 60X68 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 68mm
Available door thickness: 40-60mm
special door thickness: 70-90mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 68 Multifunctional Security lock body, safe and reliable

不銹鋼防盜門多功能門鎖系列

主要材質: 304不銹鋼
表面處理: 木紋、自由紋(青)、自由紋(紅)、青古、紅古
鎖體型號: 60x68鎖體
鎖芯: 電腦開鎖芯
鎖體中心距: 68mm
適用門厚: 40-60mm
特殊門厚: 70-90mm
使用範圍: 適用於戶外門、大門、對開門假手鎖
特點: 採用68多功能防盜鎖體, 安全可靠

荣易
ROE'ASY


TD Stainless Steel Security Door Multifunctional Door Lock
TD 不銹鋼防盜門多功能門鎖



訂貨編號 (ITEM NO.):

TD-B2 CA/WG	Polished Finish/Wood Grah	亮光間木紋	
TD-B2 CA/GP	Polished Finish/Gold	亮光間金色	
TD-B2 CA/B	Polished Finish/Free Wood Grah (Bronze)	亮光間自由紋 (青)	
TD-B2 CA/R	Polished Finish/Free Wood Grah (Red)	亮光間自由紋 (紅)	
TD-B2 CA/AB	Polished Finish/Antique Brass	亮光間青古	
TD-B2 CA/AC	Polished Finish/Antique Copper	亮光間紅古	

Size (尺寸圖) mm



STAINLESS STEEL SECURITY DOOR MULTIFUNCTIONAL DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: PVD/WG、PVD/GP、PVD/B、PVD/R、PVD/AB、PVD/AC
Lock body: 60X68 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 68mm
Available door thickness: 40-60mm
special door thickness: 70-90mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 68 Multifunctional Security lock body, safe and reliable

不銹鋼防盜門多功能門鎖系列

主要材質：304不銹鋼
表面處理：木紋、金色、自由紋(青)、自由紋(紅)、青古、紅古
鎖體型號：60x68鎖體
鎖芯：電腦開鎖芯
鎖體中心距：68mm
適用門厚：40-60mm
特殊門厚：70-90mm
使用範圍：適用於戶外門、大門、對開門假手鎖
特點：採用68多功能防盜鎖體，安全可靠

荣易
ROE'ASY

TD Stainless Steel Security Door Lock
TD 不銹鋼防盜門門鎖



6068天地防盜鎖體 6068 Top and bottom security lock body



70mm雙開鎖芯
70mm Double-open lock cylinder




電腦鎖匙 Computer Keys

6068


天地防盜鎖體系統
Top and bottom security lock body system

- 材質: SUS304不銹鋼
Material: SUS304 Stainless steel
- 表面處理: 拉絲
Surface finish: Satin Stainless Steel
- 門邊距: 60mm
Surface finish: 60mm
- 鎖體中心距: 68 (mm)
Lockbody center distance: 68(mm)
- 主要功能: 鎖體方舌鑰匙開啓方式, 方舌雙行程
Function: Key lock to open the way to the tongue, double tongue side trip
- 特性: 斜舌可調整左式, 右式
Characteristic: Oplique bolt turn left and right open
- 適用範圍: 房間門、入戶門、各類木質門
Available For: Room door, entrance door, all kinds of wooden door


產品安裝圖示
Installation indication



鎖体尺寸
Lock Body size



鎖芯尺寸
Lock cylinder size



安裝說明

1. 利用紙規分別在門扇、門框上鑿孔
2. 確保斜舌面與開門方向一致
3. 安裝鎖體和外面板
4. 安裝鎖膽, 確保鑰匙轉動靈活后, 擰緊鎖膽緊固螺釘
5. 安裝方鐵和內面板, 確保把手和旋鈕轉動靈活
6. 安裝對側面板, 使其與鎖舌配合順暢
7. 調整各部件位置, 確保各功能動作靈活順暢
8. 擰緊所有螺釘

Installation Instruction

1. Drill Holes On Door And Doorframe As Indicated On The Template.
2. To Ensure The Bevel of Latch Bolt as The Direction of Door Closing.
3. Install The Lock Body And Outside Panel.
4. Install The Cylinder, Make The Key And Knob Move Smoothly And Then Tighten The Screws
5. Install Square Bar And Inside Panel To Ensure The Handle And The Knob Move Smoothly.
6. Install The Strike Plate, Enable Them To Match With Lock Bolt Smoothly.
7. Adjusting The Position Of All Components, Enable Lock Run Smoothly.
8. Tighten All Screws.

荣易
ROE'ASY

TD Stainless Steel Security Door Lock
TD 不銹鋼防盜門門鎖



訂貨編號 (ITEM NO.):

TD-0135-CA/SS	Polished/Stain	亮光間沙光	
TD-0135-PVD	PVD	金色	
TD-0135-PVD/SS	PVD/Stain	金色間沙光	
TD-0135-SP	Stainless Steel Polished	不銹鋼拋光	
TD-0135-AB	Antique Brass	青古銅	
TD-0135-AC	Antique Copper	紅古銅	


STAINLESS STEEL SECURITY DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 60X68 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 68mm
Available door thickness: 40-60mm
special door thickness: 70-90mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 68 Security lock body, safe and reliable

不銹鋼防盜門門鎖系列

主 要 材 質： 304不銹鋼
表 面 處 理： 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號： 60x68鎖體
鎖 芯： 電腦開鎖芯
鎖體中心距： 68mm
適用 門 厚： 40-60mm
特殊 門 厚： 70-90mm
使用 範 圍： 適用于戶外門、大門、對開門假手鎖
特 點： 采用68防盜鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

TD Stainless Steel Security Door Lock
TD 不銹鋼防盜門門鎖



訂貨編號 (ITEM NO.):

TD-0822-CA/SS	Polished/Stain	亮光間沙光	
TD-0822-PVD	PVD	金色	
TD-0822-PVD/SS	PVD/Stain	金色間沙光	
TD-0822-SP	Stainless Steel Polished	不銹鋼拋光	
TD-0822-AB	Antique Brass	青古銅	
TD-0822-AC	Antique Copper	紅古銅	


STAINLESS STEEL SECURITY DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 60X68 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 68mm
Available door thickness: 40-60mm
special door thickness: 70-90mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 68 Security lock body, safe and reliable

不銹鋼防盜門門鎖系列

主 要 材 質： 304不銹鋼
表 面 處 理： 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號： 60x68鎖體
鎖 芯： 電腦開鎖芯
鎖體中心距： 68mm
適用 門 厚： 40-60mm
特殊 門 厚： 70-90mm
使用 範 圍： 適用于戶外門、大門、對開門假手鎖
特 點： 采用68防盜鎖體，安全可靠

Size (尺寸圖) mm



HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

荣易
ROE'ASY

LA 300mm Stainless Steel Door Lock
LA 300mm 不銹鋼門鎖



5085不銹鋼鎖體 5085 Stainless steel lock body



70mm單開鎖芯
70mm single-open lock cylinder



電腦鎖匙 Computer Keys

5085

不銹鋼鎖體系統
Stainless steel lock body system



材質:SUS304不銹鋼
Material: SUS304 Stainless steel



表面處理:拉絲
Surface finish:Satin Stainless Steel



門邊距:50mm
Surface finish: 50mm



鎖體中心距:85 (mm)
Lockbody center distance: 85(mm)



主要功能:鎖體方舌鑰匙開啓方式, 方舌雙行程
Function: Key lock to open the way to the tongue, double tongue side trip





特性:斜舌可調整左式, 右式
Characteristic: Oplique bolt turn left and right open




適用範圍:房間門、入戶門、各類木質門
Available For: Room door,entrance door,all kinds of wooden door

產品安裝圖示
Installation indication




鎖體尺寸
Lock Body size



鎖芯尺寸
Lock cylinder size

改變鎖體開門方向(換向)


Change the opening direction of the lock body(exchange direction)



- (1)將鎖體倒置,使斜舌限位片脫離,如圖一
- (2)將斜舌頭壓入鎖體內并旋轉180°,如圖二
- (3)使斜舌頭彈出襯板并再次倒置鎖體,使斜舌頭限位片正常回位,如圖三

Convert the lock body to break away the limit plate of the latch bolt as shown in Figure I Press latch bolt into the lock body and revolving 180° as shown in Figure II Let the latch bolt pop-up the scaleboard an convert the lock body again,enable the limit plate of latch bolt can be turned back normally as shown in Figure III.

安裝扣盒、扣板
Insatll pocket and striking plate



安裝說明

Installation Instruction

- 1.利用紙規分別在門扇、門框上鑿孔
 - 2.確保斜舌面與開門方向一致
 - 3.安裝鎖體和外面板
 - 4.安裝鎖膽,確保鑰匙轉動靈活后,擰緊鎖膽緊固螺釘
 - 5.安裝方鐵和內面板,確保把手和旋鈕轉動靈活
 - 6.安裝對側面板,使其與鎖舌配合順暢
 - 7.調整各部件位置,確保各功能動作靈活順暢
 - 8.擰緊所有螺釘
- 1.Drill Holes On Door And Doorframe As Indicated On The Template.
 - 2.To Ensure The Bevel of Latch Bolt as The Direction of Door Closing.
 - 3.Install The Lock Body And Outside Panel.
 - 4.Install The Cylinder,Make The Key And Knob Move Smoothly And Then Tighten The Screws
 - 5.Install Square Bar And Inside Panel To Ensure The Handle And The Knob Move Smoothly.
 - 6.Install The Strike Plate,Enable Them To Match With Lock Bolt Smoothly.
 - 7.Adjusting The Position Of All Components,Enable Lock Run Smoothly.
 - 8.Tighten All Screws.

荣易
ROE'ASY

LA 300mm Stainless Steel Door Lock
LA 300mm 不銹鋼門鎖



訂貨編號(ITEM NO.):

LA-0824-CA/SS	Polished/Stain	亮光間沙光	
LA-0824-PVD	PVD	金色	
LA-0824-PVD/SS	PVD/Stain	金色間沙光	
LA-0824-SP	Stainless Steel Polished	不銹鋼拋光	
LA-0824-AB	Antique Brass	青古銅	
LA-0824-AC	Antique Copper	紅古銅	


300MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

300mm不銹鋼門鎖系列

主 要 材 質 : 304不銹鋼
表 面 處 理 : 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號 : 50x85鎖體
鎖 芯 : 電腦開鎖芯
鎖體中心距: 85mm
適 用 門 厚 : 35-55mm
特 殊 門 厚 : 55-75mm
使 用 範 圍 : 適用於戶外門、大門、對開門假手鎖
特 點 : 采用85插芯鎖體,安全可靠

Size(尺寸圖) mm



荣易
ROE'ASY

LA 300mm Stainless Steel Door Lock
LA 300mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LA-0822-CA/SS	Polished/Stain	亮光間沙光	
LA-0822-PVD	PVD	金色	
LA-0822-PVD/SS	PVD/Stain	金色間沙光	
LA-0822-SP	Stainless Steel Polished	不銹鋼拋光	
LA-0822-AB	Antique Brass	青古銅	
LA-0822-AC	Antique Copper	紅古銅	


300MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

300mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

LA 300mm Stainless Steel Door Lock
LA 300mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LA-0937-CA/SS	Polished/Stain	亮光間沙光	
LA-0937-PVD	PVD	金色	
LA-0937-PVD/SS	PVD/Stain	金色間沙光	
LA-0937-SP	Stainless Steel Polished	不銹鋼拋光	
LA-0937-AB	Antique Brass	青古銅	
LA-0937-AC	Antique Copper	紅古銅	


300MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

300mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

LA 300mm Stainless Steel Door Lock
LA 300mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LA-0918-CA/SS	Polished/Stain	亮光間沙光	
LA-0918-PVD	PVD	金色	
LA-0918-PVD/SS	PVD/Stain	金色間沙光	
LA-0918-SP	Stainless Steel Polished	不銹鋼拋光	
LA-0918-AB	Antique Brass	青古銅	
LA-0918-AC	Antique Copper	紅古銅	


300MM STAINLESS STEEL DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

300mm不銹鋼門鎖系列

主 要 材 質： 304不銹鋼
表 面 處 理： 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號： 50x85鎖體
鎖 體 中 心 距： 85mm
適 用 門 厚： 35-55mm
特 殊 門 厚： 55-75mm
使 用 範 圍： 適用于戶外門、大門、對開門假手鎖
特 點： 采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

LA 300mm Stainless Steel Door Lock
LA 300mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LA-1017-CA/SS	Polished/Stain	亮光間沙光	
LA-1017-PVD	PVD	金色	
LA-1017-PVD/SS	PVD/Stain	金色間沙光	
LA-1017-SP	Stainless Steel Polished	不銹鋼拋光	
LA-1017-AB	Antique Brass	青古銅	
LA-1017-AC	Antique Copper	紅古銅	


300MM STAINLESS STEEL DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

300mm不銹鋼門鎖系列

主 要 材 質： 304不銹鋼
表 面 處 理： 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號： 50x85鎖體
鎖 體 中 心 距： 85mm
適 用 門 厚： 35-55mm
特 殊 門 厚： 55-75mm
使 用 範 圍： 適用于戶外門、大門、對開門假手鎖
特 點： 采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

LA 300mm Stainless Steel Door Lock
LA 300mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LA-1036-CA/SS	Polished/Stain	亮光間沙光	
LA-1036-PVD	PVD	金色	
LA-1036-PVD/SS	PVD/Stain	金色間沙光	
LA-1036-SP	Stainless Steel Polished	不銹鋼拋光	
LA-1036-AB	Antique Brass	青古銅	
LA-1036-AC	Antique Copper	紅古銅	


300MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

300mm不銹鋼門鎖系列


主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

LA 300mm Stainless Steel Door Lock
LA 300mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LA-1734-CA/SS	Polished/Stain	亮光間沙光	
LA-1734-PVD	PVD	金色	
LA-1734-PVD/SS	PVD/Stain	金色間沙光	
LA-1734-SP	Stainless Steel Polished	不銹鋼拋光	
LA-1734-AB	Antique Brass	青古銅	
LA-1734-AC	Antique Copper	紅古銅	


300MM STAINLESS STEEL DOOR LOCK SERIES


Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

300mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm





訂貨編號(ITEM NO.):

LA-1737-CA/SS	Polished/Stain	亮光間沙光	
LA-1737-PVD	PVD	金色	
LA-1737-PVD/SS	PVD/Stain	金色間沙光	
LA-1737-SP	Stainless Steel Polished	不銹鋼拋光	
LA-1737-AB	Antique Brass	青古銅	
LA-1737-AC	Antique Copper	紅古銅	


300MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

300mm不銹鋼門鎖系列

主 要 材 質 : 304不銹鋼
表 面 處 理 : 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號 : 50x85鎖體
鎖 芯 : 電腦開鎖芯
鎖體中心距: 85mm
適用 門 厚 : 35-55mm
特 殊 門 厚 : 55-75mm
使用 範 圍 : 適用於戶外門、大門、對開門假手鎖
特 點 : 採用85插芯鎖體，安全可靠

Size(尺寸圖) mm



5085不銹鋼鎖體 5085 Stainless steel lock body



70mm單開鎖芯
70mm single-open lock cylinder




電腦鎖匙 Computer Keys

5085


不銹鋼鎖體系統
Stainless steel lock body system

-  材質:SUS304不銹鋼
Material: SUS304 Stainless steel
-  表面處理:拉絲
Surface finish:Satin Stainless Steel
-  門邊距:50mm
Surface finish: 50mm
-  鎖體中心距:85 (mm)
Lockbody center distance: 85(mm)
-  主要功能:鎖體方舌鑰匙開啓方式,方舌雙行程
Function: Key lock to open the way to the tongue, double tongue side trip
-  特性:斜舌可調整左式,右式
Characteristic: Oplique bolt turn left and right open
-  適用範圍:房間門、入戶門、各類木質門
Available For: Room door,entrance door,all kinds of wooden door

產品安裝圖示
Installation indication




改變鎖體開門方向(換向)
Change the opening direction of the lock body(exchange direction)



- (1) 將鎖體倒置,使斜舌限位片脫離,如圖一
- (2) 將斜舌頭壓入鎖體內并旋轉180°,如圖二
- (3) 使斜舌頭彈出襯板并再次倒置鎖體,使斜舌頭限位片正常回位,如圖三

Convert the lock body to break away the limit plate of the latch bolt as shown in Figure I
Press latch bolt into the lock body and revolving 180° as shown in Figure II
Let the latch bolt pop-up the scaleboard an convert the lock body again,enable the limit plate of latch bolt can be turned back normally as shown in Figure III.

安裝扣盒、扣板
Insatll pocket and striking plate




安裝說明
Installation Instruction

1. 利用紙規分別在門扇、門框上鑿孔
2. 確保斜舌面與開門方向一致
3. 安裝鎖體和外面板
4. 安裝鎖膽,確保鑰匙轉動靈活后,擰緊鎖膽緊固螺釘
5. 安裝方鐵和內面板,確保把手和旋鈕轉動靈活
6. 安裝對側面板,使其與鎖舌配合順暢
7. 調整各部件位置,確保各功能動作靈活順暢
8. 擰緊所有螺釘

- 1.Drill Holes On Door And Doorframe As Indicated On The Template.
- 2.To Ensure The Bevel of Latch Bolt as The Direction of Door Closing.
- 3.Install The Lock Body And Outside Panel.
- 4.Install The Cylinder,Make The Key And Knob Move Smoothly And Then Tighten The Screws
- 5.Install Square Bar And Inside Panel To Ensure The Handle And The Knob Move Smoothly.
- 6.Install The Strike Plate,Enable Them To Match With Lock Bolt Smoothly.
- 7.Adjusting The Position Of All Components,Enable Lock Run Smoothly.
- 8.Tighten All Screws.

荣易
ROE'ASY

LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-0408-CA/SS	Polished/Stain	亮光間沙光	
LB-0408-PVD	PVD	金色	
LB-0408-PVD/SS	PVD/Stain	金色間沙光	
LB-0408-SP	Stainless Steel Polished	不銹鋼拋光	
LB-0408-AB	Antique Brass	青古銅	
LB-0408-AC	Antique Copper	紅古銅	


260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列


主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-0416-CA/SS	Polished/Stain	亮光間沙光	
LB-0416-PVD	PVD	金色	
LB-0416-PVD/SS	PVD/Stain	金色間沙光	
LB-0416-SP	Stainless Steel Polished	不銹鋼拋光	
LB-0416-AB	Antique Brass	青古銅	
LB-0416-AC	Antique Copper	紅古銅	


260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列


主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-0517-CA/SS	Polished/Stain	亮光間沙光	
LB-0517-PVD	PVD	金色	
LB-0517-PVD/SS	PVD/Stain	金色間沙光	
LB-0517-SP	Stainless Steel Polished	不銹鋼拋光	
LB-0517-AB	Antique Brass	青古銅	
LB-0517-AC	Antique Copper	紅古銅	


260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列


主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-0504-CA/SS	Polished/Stain	亮光間沙光	
LB-0504-PVD	PVD	金色	
LB-0504-PVD/SS	PVD/Stain	金色間沙光	
LB-0504-SP	Stainless Steel Polished	不銹鋼拋光	
LB-0504-AB	Antique Brass	青古銅	
LB-0504-AC	Antique Copper	紅古銅	


260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY


LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-0618-CA/SS	Polished/Stain	亮光間沙光	
LB-0618-PVD	PVD	金色	
LB-0618-PVD/SS	PVD/Stain	金色間沙光	
LB-0618-SP	Stainless Steel Polished	不銹鋼拋光	
LB-0618-AB	Antique Brass	青古銅	
LB-0618-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

荣易
ROE'ASY


LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-0616-CA/SS	Polished/Stain	亮光間沙光	
LB-0616-PVD	PVD	金色	
LB-0616-PVD/SS	PVD/Stain	金色間沙光	
LB-0616-SP	Stainless Steel Polished	不銹鋼拋光	
LB-0616-AB	Antique Brass	青古銅	
LB-0616-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

荣易
ROE'ASY

LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-0612-CA/SS	Polished/Stain	亮光間沙光	
LB-0612-PVD	PVD	金色	
LB-0612-PVD/SS	PVD/Stain	金色間沙光	
LB-0612-SP	Stainless Steel Polished	不銹鋼拋光	
LB-0612-AB	Antique Brass	青古銅	
LB-0612-AC	Antique Copper	紅古銅	


260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-0809-CA/SS	Polished/Stain	亮光間沙光	
LB-0809-PVD	PVD	金色	
LB-0809-PVD/SS	PVD/Stain	金色間沙光	
LB-0809-SP	Stainless Steel Polished	不銹鋼拋光	
LB-0809-AB	Antique Brass	青古銅	
LB-0809-AC	Antique Copper	紅古銅	


260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY


LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-0824-CA/SS	Polished/Stain	亮光間沙光	
LB-0824-PVD	PVD	金色	
LB-0824-PVD/SS	PVD/Stain	金色間沙光	
LB-0824-SP	Stainless Steel Polished	不銹鋼拋光	
LB-0824-AB	Antique Brass	青古銅	
LB-0824-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主要材質：304不銹鋼
表面處理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號：50x85鎖體
鎖芯：電腦開鎖芯
鎖體中心距：85mm
適用門厚：35-55mm
特殊門厚：55-75mm
使用範圍：適用於戶外門、大門、對開門假手鎖
特點：采用85插芯鎖體，安全可靠

荣易
ROE'ASY


LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-0905-CA/SS	Polished/Stain	亮光間沙光	
LB-0905-PVD	PVD	金色	
LB-0905-PVD/SS	PVD/Stain	金色間沙光	
LB-0905-SP	Stainless Steel Polished	不銹鋼拋光	
LB-0905-AB	Antique Brass	青古銅	
LB-0905-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主要材質：304不銹鋼
表面處理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號：50x85鎖體
鎖芯：電腦開鎖芯
鎖體中心距：85mm
適用門厚：35-55mm
特殊門厚：55-75mm
使用範圍：適用於戶外門、大門、對開門假手鎖
特點：采用85插芯鎖體，安全可靠

HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

荣易
ROE'ASY


LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-0902-CA/SS	Polished/Stain	亮光間沙光	
LB-0902-PVD	PVD	金色	
LB-0902-PVD/SS	PVD/Stain	金色間沙光	
LB-0902-SP	Stainless Steel Polished	不銹鋼拋光	
LB-0902-AB	Antique Brass	青古銅	
LB-0902-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



260MM STAINLESS STEEL DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主要材質: 304不銹鋼
表面處理: 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號: 50x85鎖體
鎖芯: 電腦開鎖芯
鎖體中心距: 85mm
適用門厚: 35-55mm
特殊門厚: 55-75mm
使用範圍: 適用于戶外門、大門、對開門假手鎖
特點: 采用85插芯鎖體，安全可靠

荣易
ROE'ASY


LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-1017-CA/SS	Polished/Stain	亮光間沙光	
LB-1017-PVD	PVD	金色	
LB-1017-PVD/SS	PVD/Stain	金色間沙光	
LB-1017-SP	Stainless Steel Polished	不銹鋼拋光	
LB-1017-AB	Antique Brass	青古銅	
LB-1017-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



260MM STAINLESS STEEL DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主要材質: 304不銹鋼
表面處理: 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號: 50x85鎖體
鎖芯: 電腦開鎖芯
鎖體中心距: 85mm
適用門厚: 35-55mm
特殊門厚: 55-75mm
使用範圍: 適用于戶外門、大門、對開門假手鎖
特點: 采用85插芯鎖體，安全可靠


HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15



訂貨編號 (ITEM NO.):

LB-1024-CA/SS	Polished/Stain	亮光間沙光	
LB-1024-PVD	PVD	金色	
LB-1024-PVD/SS	PVD/Stain	金色間沙光	
LB-1024-SP	Stainless Steel Polished	不銹鋼拋光	
LB-1024-AB	Antique Brass	青古銅	
LB-1024-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



260MM STAINLESS STEEL DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列


主要材質： 304不銹鋼
表面處理： 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號： 50x85鎖體
鎖芯： 電腦開鎖芯
鎖體中心距： 85mm
適用門厚： 35-55mm
特殊門厚： 55-75mm
使用範圍： 適用于戶外門、大門、對開門假手鎖
特點： 采用85插芯鎖體，安全可靠



訂貨編號 (ITEM NO.):

LB-1215-CA/SS	Polished/Stain	亮光間沙光	
LB-1215-PVD	PVD	金色	
LB-1215-PVD/SS	PVD/Stain	金色間沙光	
LB-1215-SP	Stainless Steel Polished	不銹鋼拋光	
LB-1215-AB	Antique Brass	青古銅	
LB-1215-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



260MM STAINLESS STEEL DOOR LOCK SERIES

Material: 304 Stainless steel
Finish: CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主要材質： 304不銹鋼
表面處理： 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號： 50x85鎖體
鎖芯： 電腦開鎖芯
鎖體中心距： 85mm
適用門厚： 35-55mm
特殊門厚： 55-75mm
使用範圍： 適用于戶外門、大門、對開門假手鎖
特點： 采用85插芯鎖體，安全可靠

荣易
ROE'ASY

LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-1220-CA/SS	Polished/Stain	亮光間沙光	
LB-1220-PVD	PVD	金色	
LB-1220-PVD/SS	PVD/Stain	金色間沙光	
LB-1220-SP	Stainless Steel Polished	不銹鋼拋光	
LB-1220-AB	Antique Brass	青古銅	
LB-1220-AC	Antique Copper	紅古銅	


260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列


主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-1210-CA/SS	Polished/Stain	亮光間沙光	
LB-1210-PVD	PVD	金色	
LB-1210-PVD/SS	PVD/Stain	金色間沙光	
LB-1210-SP	Stainless Steel Polished	不銹鋼拋光	
LB-1210-AB	Antique Brass	青古銅	
LB-1210-AC	Antique Copper	紅古銅	


260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-1426-CA/SS	Polished/Stain	亮光間沙光	
LB-1426-PVD	PVD	金色	
LB-1426-PVD/SS	PVD/Stain	金色間沙光	
LB-1426-SP	Stainless Steel Polished	不銹鋼拋光	
LB-1426-AB	Antique Brass	青古銅	
LB-1426-AC	Antique Copper	紅古銅	


260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm



荣易
ROE'ASY

LB 260mm Stainless Steel Door Lock
LB 260mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

LB-1427-CA/SS	Polished/Stain	亮光間沙光	
LB-1427-PVD	PVD	金色	
LB-1427-PVD/SS	PVD/Stain	金色間沙光	
LB-1427-SP	Stainless Steel Polished	不銹鋼拋光	
LB-1427-AB	Antique Brass	青古銅	
LB-1427-AC	Antique Copper	紅古銅	


260MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

260mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x85鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：85mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於戶外門、大門、對開門假手鎖
特 點：采用85插芯鎖體，安全可靠

Size (尺寸圖) mm





5058/4550不銹鋼鎖體 5058/4550 Stainless steel lock body



70mm雙開鎖芯
70mm Double-open lock cylinder



電腦鎖匙 Computer Keys

5058/4550

不銹鋼鎖體系統
Stainless steel lock body system

材質:SUS304不銹鋼
Material: SUS304 Stainless steel

表面處理:拉絲
Surface finish:Satin Stainless Steel


門邊距:50/45mm
Surface finish:50/45mm

鎖體中心距:58/50 (mm)
Lockbody center distance: 58/50(mm)


主要功能:鎖體方舌鑰匙開啓方式, 方舌雙行程
Function: Key lock to open the way to the tongue,
double tongue side trip

特性:斜舌可調整左式, 右式
Characteristic: Oplique bolt turn left and right open

適用範圍:房間門、入戶門、各類木質門
Available For: Room door,entrance door,all
kinds of wooden door




鎖體尺寸
Lock Body size



鎖芯尺寸
Lock cylinder size

產品安裝圖示
Installation indication



安裝說明

1. 利用紙規分別在門扇、門框上鑿孔
2. 確保斜舌面與開門方向一致
3. 安裝鎖體和外面板
4. 安裝鎖膽, 確保鑰匙轉動靈活后, 擰緊鎖膽緊固螺釘
5. 安裝方鐵和內面板, 確保把手和旋鈕轉動靈活
6. 安裝對側面板, 使其與鎖舌配合順暢
7. 調整各部件位置, 確保各功能動作靈活順暢
8. 擰緊所有螺釘

Installation Instruction


- 1.Drill Holes On Door And Doorframe As Indicated On The Template.
- 2.To Ensure The Bevel of Latch Bolt as The Direction of Door Closing.
- 3.Install The Lock Body And Outside Panel.
- 4.Install The Cylinder,Make The Key And Knob Move Smoothly And Then Tighten The Screws
- 5.Install Square Bar And Inside Panel To Ensure The Handle And The Knob Move Smoothly.
- 6.Install The Strike Plate,Enable Them To Match With Lock Bolt Smoothly.
- 7.Adjusting The Position Of All Components,Enable Lock Run Smoothly.
- 8.Tighten All Screws.



訂貨編號(ITEM NO.):

MA-0102-CA/SS	Polished/Stain	亮光間沙光	
MA-0102-PVD	PVD	金色	
MA-0102-PVD/SS	PVD/Stain	金色間沙光	
MA-0102-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0102-AB	Antique Brass	青古銅	
MA-0102-AC	Antique Copper	紅古銅	

Size(尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel

Finish:CA/SS、PVD、PVD/SS、SP、AB、AC

Lock body: 50X58/45X50 lock body

Cylinder: Cylinder With Brass Computer Key

Lockbody center distance: 58/50mm

Available door thickness: 35-55mm

special door thickness: 55-75mm

Application range: Etrance,Pravicy function door avialable.

Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質 : 304不銹鋼

表 面 處 理 : 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅

鎖 體 型 號 : 50x58/45x50鎖體

鎖 芯 : 電腦開鎖芯

鎖體中心距: 58/50mm

適 用 門 厚 : 35-55mm

特 殊 門 厚 : 55-75mm

使用 範 圍 : 適用於房門、浴室門、對開門假手鎖

特 點 : 采用58/50插芯鎖體, 安全可靠

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0160-CA/SS	Polished/Stain	亮光間沙光	
MA-0160-PVD	PVD	金色	
MA-0160-PVD/SS	PVD/Stain	金色間沙光	
MA-0160-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0160-AB	Antique Brass	青古銅	
MA-0160-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0262-CA/SS	Polished/Stain	亮光間沙光	
MA-0262-PVD	PVD	金色	
MA-0262-PVD/SS	PVD/Stain	金色間沙光	
MA-0262-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0262-AB	Antique Brass	青古銅	
MA-0262-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0305-CA/SS	Polished/Stain	亮光間沙光	
MA-0305-PVD	PVD	金色	
MA-0305-PVD/SS	PVD/Stain	金色間沙光	
MA-0305-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0305-AB	Antique Brass	青古銅	
MA-0305-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0402-CA/SS	Polished/Stain	亮光間沙光	
MA-0402-PVD	PVD	金色	
MA-0402-PVD/SS	PVD/Stain	金色間沙光	
MA-0402-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0402-AB	Antique Brass	青古銅	
MA-0402-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠


HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15



訂貨編號 (ITEM NO.):

MA-0408-CA/SS	Polished/Stain	亮光間沙光	
MA-0408-PVD	PVD	金色	
MA-0408-PVD/SS	PVD/Stain	金色間沙光	
MA-0408-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0408-AB	Antique Brass	青古銅	
MA-0408-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列


主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠



訂貨編號 (ITEM NO.):

MA-0502-CA/SS	Polished/Stain	亮光間沙光	
MA-0502-PVD	PVD	金色	
MA-0502-PVD/SS	PVD/Stain	金色間沙光	
MA-0502-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0502-AB	Antique Brass	青古銅	
MA-0502-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠


HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15



訂貨編號 (ITEM NO.):

MA-0516-CA/SS	Polished/Stain	亮光間沙光	
MA-0516-PVD	PVD	金色	
MA-0516-PVD/SS	PVD/Stain	金色間沙光	
MA-0516-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0516-AB	Antique Brass	青古銅	
MA-0516-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列


主要材質: 304不銹鋼
表面處理: 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號: 50x58/45x50鎖體
鎖芯: 電腦開鎖芯
鎖體中心距: 58/50mm
適用門厚: 35-55mm
特殊門厚: 55-75mm
使用範圍: 適用於房門、浴室門、對開門假手鎖
特點: 采用58/50插芯鎖體, 安全可靠



訂貨編號 (ITEM NO.):

MA-0517-CA/SS	Polished/Stain	亮光間沙光	
MA-0517-PVD	PVD	金色	
MA-0517-PVD/SS	PVD/Stain	金色間沙光	
MA-0517-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0517-AB	Antique Brass	青古銅	
MA-0517-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主要材質: 304不銹鋼
表面處理: 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號: 50x58/45x50鎖體
鎖芯: 電腦開鎖芯
鎖體中心距: 58/50mm
適用門厚: 35-55mm
特殊門厚: 55-75mm
使用範圍: 適用於房門、浴室門、對開門假手鎖
特點: 采用58/50插芯鎖體, 安全可靠

荣易
ROEASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0604-CA/SS	Polished/Stain	亮光間沙光	
MA-0604-PVD	PVD	金色	
MA-0604-PVD/SS	PVD/Stain	金色間沙光	
MA-0604-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0604-AB	Antique Brass	青古銅	
MA-0604-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

荣易
ROEASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0612-CA/SS	Polished/Stain	亮光間沙光	
MA-0612-PVD	PVD	金色	
MA-0612-PVD/SS	PVD/Stain	金色間沙光	
MA-0612-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0612-AB	Antique Brass	青古銅	
MA-0612-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0751-CA/SS	Polished/Stain	亮光間沙光	
MA-0751-PVD	PVD	金色	
MA-0751-PVD/SS	PVD/Stain	金色間沙光	
MA-0751-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0751-AB	Antique Brass	青古銅	
MA-0751-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0752-CA/SS	Polished/Stain	亮光間沙光	
MA-0752-PVD	PVD	金色	
MA-0752-PVD/SS	PVD/Stain	金色間沙光	
MA-0752-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0752-AB	Antique Brass	青古銅	
MA-0752-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0809-CA/SS	Polished/Stain	亮光間沙光	
MA-0809-PVD	PVD	金色	
MA-0809-PVD/SS	PVD/Stain	金色間沙光	
MA-0809-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0809-AB	Antique Brass	青古銅	
MA-0809-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0862-CA/SS	Polished/Stain	亮光間沙光	
MA-0862-PVD	PVD	金色	
MA-0862-PVD/SS	PVD/Stain	金色間沙光	
MA-0862-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0862-AB	Antique Brass	青古銅	
MA-0862-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0809-CA/SS	Polished/Stain	亮光間沙光	
MA-0809-PVD	PVD	金色	
MA-0809-PVD/SS	PVD/Stain	金色間沙光	
MA-0809-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0809-AB	Antique Brass	青古銅	
MA-0809-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0862-CA/SS	Polished/Stain	亮光間沙光	
MA-0862-PVD	PVD	金色	
MA-0862-PVD/SS	PVD/Stain	金色間沙光	
MA-0862-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0862-AB	Antique Brass	青古銅	
MA-0862-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0902-CA/SS	Polished/Stain	亮光間沙光	
MA-0902-PVD	PVD	金色	
MA-0902-PVD/SS	PVD/Stain	金色間沙光	
MA-0902-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0902-AB	Antique Brass	青古銅	
MA-0902-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主要材質：304不銹鋼
表面處理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號：50x58/45x50鎖體
鎖芯：電腦開鎖芯
鎖體中心距：58/50mm
適用門厚：35-55mm
特殊門厚：55-75mm
使用範圍：適用於房門、浴室門、對開門假手鎖
特點：採用58/50插芯鎖體，安全可靠

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-0905-CA/SS	Polished/Stain	亮光間沙光	
MA-0905-PVD	PVD	金色	
MA-0905-PVD/SS	PVD/Stain	金色間沙光	
MA-0905-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0905-AB	Antique Brass	青古銅	
MA-0905-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主要材質：304不銹鋼
表面處理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號：50x58/45x50鎖體
鎖芯：電腦開鎖芯
鎖體中心距：58/50mm
適用門厚：35-55mm
特殊門厚：55-75mm
使用範圍：適用於房門、浴室門、對開門假手鎖
特點：採用58/50插芯鎖體，安全可靠

HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-1060-CA/SS	Polished/Stain	亮光間沙光	
MA-1060-PVD	PVD	金色	
MA-1060-PVD/SS	PVD/Stain	金色間沙光	
MA-1060-SP	Stainless Steel Polished	不銹鋼拋光	
MA-1060-AB	Antique Brass	青古銅	
MA-1060-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-1116-CA/SS	Polished/Stain	亮光間沙光	
MA-1116-PVD	PVD	金色	
MA-1116-PVD/SS	PVD/Stain	金色間沙光	
MA-1116-SP	Stainless Steel Polished	不銹鋼拋光	
MA-1116-AB	Antique Brass	青古銅	
MA-1116-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-1206-CA/SS	Polished/Stain	亮光間沙光	
MA-1206-PVD	PVD	金色	
MA-1206-PVD/SS	PVD/Stain	金色間沙光	
MA-1206-SP	Stainless Steel Polished	不銹鋼拋光	
MA-1206-AB	Antique Brass	青古銅	
MA-1206-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES


Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用于房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

荣易
ROE'ASY


MA 200mm Stainless Steel Door Lock
MA 200mm 不銹鋼門鎖



訂貨編號 (ITEM NO.):

MA-1301-CA/SS	Polished/Stain	亮光間沙光	
MA-1301-PVD	PVD	金色	
MA-1301-PVD/SS	PVD/Stain	金色間沙光	
MA-1301-SP	Stainless Steel Polished	不銹鋼拋光	
MA-1301-AB	Antique Brass	青古銅	
MA-1301-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50x58/45x50鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：58/50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用于房門、浴室門、對開門假手鎖
特 點：采用58/50插芯鎖體，安全可靠

HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15



訂貨編號 (ITEM NO.):

MA-1310-CA/SS	Polished/Stain	亮光間沙光	
MA-1310-PVD	PVD	金色	
MA-1310-PVD/SS	PVD/Stain	金色間沙光	
MA-1310-SP	Stainless Steel Polished	不銹鋼拋光	
MA-1310-AB	Antique Brass	青古銅	
MA-1310-AC	Antique Copper	紅古銅	


200MM STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X58/45X50 lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 58/50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 58/50 mortise lock body, safe and reliable

200mm不銹鋼門鎖系列

主要材質: 304不銹鋼
表面處理: 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號: 50x58/45x50鎖體
鎖芯: 電腦開鎖芯
鎖體中心距: 58/50mm
適用門厚: 35-55mm
特殊門厚: 55-75mm
使用範圍: 適用於房門、浴室門、對開門假手鎖
特點: 采用58/50插芯鎖體,安全可靠

Size(尺寸圖) mm



50單舌鎖體 50 Single Latch lock body



電腦開鎖芯
Cylinder With Brass Computer Key



電腦鎖匙 Computer Keys

50

單舌鎖體系統
Single Latch lock body system

材質:SUS304不銹鋼
Material: SUS304 Stainless steel

表面處理:拉絲
Surface finish:Satin Stainless Steel

門邊距:50mm
Surface finish: 50mm


鎖體中心距:50 (mm)
Lockbody center distance: 50(mm)

主要功能:鎖體方舌鑰匙開啓方式,方舌雙行程
Function: Key lock to open the way to the tongue,
double tongue side trip


特性:斜舌可調整左式,右式
Characteristic: Oplique bolt turn left and right open

適用範圍:房間門、入戶門、各類木質門
Available For: Room door,entrance door,all
kinds of wooden door


產品安裝圖示
Installation indication




鎖體尺寸
Lock Body size



鎖芯尺寸
Lock cylinder size




改變鎖體開門方向(換向)
Change the opening direction of the lock body(exchange direction)



安裝鎖體時,視左開門爲例斜舌方向是否一致見(圖一)
如旋轉180°就爲右開門見(圖二)

When install the lock body,if the direction of the latch bolt in accord with the shutdown direction,it is as example of left opening door as shown in (figure I).Revoving 180° to be right opening door as shown in (figure II)

安裝扣盒、扣板
Insatl pocket and striking plate



安裝說明
Installation Instruction

- 1.利用紙規分別在門扇、門框上鑿孔
- 2.確保斜舌面與開門方向一致
- 3.安裝鎖體和外面板
- 4.安裝鎖膽,確保鑰匙轉動靈活后,擰緊鎖膽緊固螺釘
- 5.安裝方鐵和內面板,確保把手和旋鈕轉動靈活
- 6.安裝對側面板,使其與鎖舌配合順暢
- 7.調整各部件位置,確保各功能動作靈活順暢
- 8.擰緊所有螺釘


- 1.Drill Holes On Door And Doorframe As Indicated On The Template.
- 2.To Ensure The Bevel of Latch Bolt as The Direction of Door Closing.
- 3.Install The Lock Body And Outside Panel.
- 4.Install The Cylinder,Make The Key And Knob Move Smoothly And Then Tighten The Screws
- 5.Install Square Bar And Inside Panel To Ensure The Handle And The Knob Move Smoothly.
- 6.Install The Strike Plate,Enable Them To Match With Lock Bolt Smoothly.
- 7.Adjusting The Position Of All Components,Enable Lock Run Smoothly.
- 8.Tighten All Screws.



訂貨編號 (ITEM NO.):

MA-0408-CA/SS	Polished/Stain	亮光間沙光	
MA-0408-PVD	PVD	金色	
MA-0408-PVD/SS	PVD/Stain	金色間沙光	
MA-0408-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0408-AB	Antique Brass	青古銅	
MA-0408-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



185MM STAINLESS SINGLE LATCH DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50 Single Latch lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 50 Single Latch lock body, safe and reliable

185mm不銹鋼單舌門鎖系列


主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50單舌鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用50單舌鎖體，安全可靠



訂貨編號 (ITEM NO.):

MA-0618-CA/SS	Polished/Stain	亮光間沙光	
MA-0618-PVD	PVD	金色	
MA-0618-PVD/SS	PVD/Stain	金色間沙光	
MA-0618-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0618-AB	Antique Brass	青古銅	
MA-0618-AC	Antique Copper	紅古銅	

Size (尺寸圖) mm



185MM STAINLESS SINGLE LATCH DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50 Single Latch lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 50 Single Latch lock body, safe and reliable

185mm不銹鋼單舌門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50單舌鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用於房門、浴室門、對開門假手鎖
特 點：采用50單舌鎖體，安全可靠

HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15



訂貨編號 (ITEM NO.):

MA-0809-CA/SS	Polished/Stain	亮光間沙光	
MA-0809-PVD	PVD	金色	
MA-0809-PVD/SS	PVD/Stain	金色間沙光	
MA-0809-SP	Stainless Steel Polished	不銹鋼拋光	
MA-0809-AB	Antique Brass	青古銅	
MA-0809-AC	Antique Copper	紅古銅	


185MM STAINLESS SINGLE LATCH DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50 Single Latch lock body
Cylinder: Cylinder With Brass Computer Key
Lockbody center distance: 50mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Etrance,Pravicy function door avialable.
Features: Adopts 50 Single Latch lock body, safe and reliable

185mm不銹鋼單舌門鎖系列

主 要 材 質：304不銹鋼
表 面 處 理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖 體 型 號：50單舌鎖體
鎖 芯：電腦開鎖芯
鎖體中心距：50mm
適 用 門 厚：35-55mm
特 殊 門 厚：55-75mm
使 用 範 圍：適用于房門、浴室門、對開門假手鎖
特 點：采用50單舌鎖體，安全可靠

Size (尺寸圖) mm



5085不銹鋼鎖體 5085 Stainless steel lock body



70mm單開鎖芯
70mm Single-open lock cylinder



電腦鎖匙 Computer Keys

5085

不銹鋼鎖體系統
Stainless steel lock body system

材質:SUS304不銹鋼
Material: SUS304 Stainless steel

表面處理:拉絲
Surface finish:Satin Stainless Steel

門邊距:50mm
Surface finish: 50mm



鎖體中心距:85 (mm)
Lockbody center distance: 85(mm)

主要功能:鎖體方舌鑰匙開啓方式，方舌雙行程
Function: Key lock to open the way to the tongue, double tongue side trip

特性:斜舌可調整左式，右式
Characteristic: Oplique bolt turn left and right open

適用範圍:房間門、入戶門、各類木質門
Available For: Room door,entrance door,all kinds of wooden door

產品安裝圖示
Installation indication



安裝說明

1. 利用紙規分別在門扇、門框上鑿孔
2. 確保斜舌面與開門方向一致
3. 安裝鎖體和外面板
4. 安裝鎖膽，確保鑰匙轉動靈活后，擰緊鎖膽緊固螺釘
5. 安裝方鐵和內面板，確保把手和旋鈕轉動靈活
6. 安裝對側面板，使其與鎖舌配合順暢
7. 調整各部件位置，確保各功能動作靈活順暢
8. 擰緊所有螺釘

Installation Instruction

- 1.Drill Holes On Door And Doorframe As Indicated On The Template.
- 2.To Ensure The Bevel of Latch Bolt as The Direction of Door Closing.
- 3.Install The Lock Body And Outside Panel.
- 4.Install The Cylinder,Make The Key And Knob Move Smoothly And Then Tighten The Screws
- 5.Install Square Bar And Inside Panel To Ensure The Handle And The Knob Move Smoothly.
- 6.Install The Strike Plate,Enable Them To Match With Lock Bolt Smoothly.
- 7.Adjusting The Position Of All Components,Enable Lock Run Smoothly.
- 8.Tighten All Screws.

ROE'ASY
 KT
 Separate Stainless Steel Door Lock
 KT
 分體不銹鋼門鎖



KT-0101



KT-0102



KT-0103



KT-0104



KT-0105



KT-0106

SEPARATE STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
 Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
 Lock body: 50X85 lock body
 Cylinder: Brass Cylinder With Brass Computer Key
 Lockbody center distance: 85mm
 Available door thickness: 35-55mm
 special door thickness: 55-75mm
 Application range: Suitable for outside gate, gate, bi-parting door locks.
 Features: Adopts 85 mortise lock body, safe and reliable

分體不銹鋼門鎖系列

主要材質：304不銹鋼
 表面處理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
 鎖體型號：50x85鎖體
 鎖芯：電腦開鎖芯
 鎖體中心距：85mm
 適用門厚：35-55mm
 特殊門厚：55-75mm
 使用範圍：適用於戶外門、大門、對開門假手鎖
 特點：採用85插芯鎖體，安全可靠

ROE'ASY
 KT
 Separate Stainless Steel Door Lock
 KT
 分體不銹鋼門鎖



KT-0107



KT-0108



KT-0109



KT-0110



KT-0111



KT-0112

SEPARATE STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
 Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
 Lock body: 50X85 lock body
 Cylinder: Brass Cylinder With Brass Computer Key
 Lockbody center distance: 85mm
 Available door thickness: 35-55mm
 special door thickness: 55-75mm
 Application range: Suitable for outside gate, gate, bi-parting door locks.
 Features: Adopts 85 mortise lock body, safe and reliable

分體不銹鋼門鎖系列

主要材質：304不銹鋼
 表面處理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
 鎖體型號：50x85鎖體
 鎖芯：電腦開鎖芯
 鎖體中心距：85mm
 適用門厚：35-55mm
 特殊門厚：55-75mm
 使用範圍：適用於戶外門、大門、對開門假手鎖
 特點：採用85插芯鎖體，安全可靠

荣易 ROE'ASY KT Separate Stainless Steel Door Lock
KT 分體不銹鋼門鎖



KT-0113



KT-0115



KT-0116



KT-0117



KT-0118



KT-0120

SEPARATE STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Brass Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

分體不銹鋼門鎖系列

主要材質: 304不銹鋼
表面處理: 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號: 50x85鎖體
鎖芯: 電腦開鎖芯
鎖體中心距: 85mm
適用門厚: 35-55mm
特殊門厚: 55-75mm
使用範圍: 適用於戶外門、大門、對開門假手鎖
特點: 采用85插芯鎖體, 安全可靠

荣易 ROE'ASY KT Separate Stainless Steel Door Lock
KT 分體不銹鋼門鎖



KT-0121



KT-0122



KT-0151



KT-0152



KT-0153



KT-0154

SEPARATE STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
Lock body: 50X85 lock body
Cylinder: Brass Cylinder With Brass Computer Key
Lockbody center distance: 85mm
Available door thickness: 35-55mm
special door thickness: 55-75mm
Application range: Suitable for outside gate, gate, bi-parting door locks.
Features: Adopts 85 mortise lock body, safe and reliable

分體不銹鋼門鎖系列

主要材質: 304不銹鋼
表面處理: 亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
鎖體型號: 50x85鎖體
鎖芯: 電腦開鎖芯
鎖體中心距: 85mm
適用門厚: 35-55mm
特殊門厚: 55-75mm
使用範圍: 適用於戶外門、大門、對開門假手鎖
特點: 采用85插芯鎖體, 安全可靠

ROE'ASY
 KT
 Separate Stainless Steel Door Lock
 分體不銹鋼門鎖



KT-0155



KT-0156



KT-0158



KT-0160



KT-0162



KT-0223

SEPARATE STAINLESS STEEL DOOR LOCK SERIES

Material: 304 Stainless steel
 Finish: CA/SS, PVD, PVD/SS, SP, AB, AC
 Lock body: 50X85 lock body
 Cylinder: Brass Cylinder With Brass Computer Key
 Lockbody center distance: 85mm
 Available door thickness: 35-55mm
 special door thickness: 55-75mm
 Application range: Suitable for outside gate, gate, bi-parting door locks.
 Features: Adopts 85 mortise lock body, safe and reliable

分體不銹鋼門鎖系列

主要材質：304不銹鋼
 表面處理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
 鎖體型號：50x85鎖體
 鎖芯：電腦開鎖芯
 鎖體中心距：85mm
 適用門厚：35-55mm
 特殊門厚：55-75mm
 使用範圍：適用於戶外門、大門、對開門假手鎖
 特點：採用85插芯鎖體，安全可靠

ROE'ASY
 KT
 Separate Stainless Steel Door Lock
 分體不銹鋼門鎖



KT-0224



KT-0225



KT-0226



KT-0227



KT-0228



KT-0230

SEPARATE STAINLESS STEEL DOOR LOCK SERIES

Material: 304 Stainless steel
 Finish: CA/SS, PVD, PVD/SS, SP, AB, AC
 Lock body: 50X85 lock body
 Cylinder: Brass Cylinder With Brass Computer Key
 Lockbody center distance: 85mm
 Available door thickness: 35-55mm
 special door thickness: 55-75mm
 Application range: Suitable for outside gate, gate, bi-parting door locks.
 Features: Adopts 85 mortise lock body, safe and reliable

分體不銹鋼門鎖系列

主要材質：304不銹鋼
 表面處理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
 鎖體型號：50x85鎖體
 鎖芯：電腦開鎖芯
 鎖體中心距：85mm
 適用門厚：35-55mm
 特殊門厚：55-75mm
 使用範圍：適用於戶外門、大門、對開門假手鎖
 特點：採用85插芯鎖體，安全可靠

ROE'ASY
 KT
 Separate Stainless Steel Door Lock
 分體不銹鋼門鎖



KT-0231



KT-0232



KT-0233



KT-0234



KT-0235



KT-0236

SEPARATE STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
 Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
 Lock body: 50X85 lock body
 Cylinder: Brass Cylinder With Brass Computer Key
 Lockbody center distance: 85mm
 Available door thickness: 35-55mm
 special door thickness: 55-75mm
 Application range: Suitable for outside gate, gate, bi-parting door locks.
 Features: Adopts 85 mortise lock body, safe and reliable

分體不銹鋼門鎖系列

主要材質：304不銹鋼
 表面處理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
 鎖體型號：50x85鎖體
 鎖芯：電腦開鎖芯
 鎖體中心距：85mm
 適用門厚：35-55mm
 特殊門厚：55-75mm
 使用範圍：適用於戶外門、大門、對開門假手鎖
 特點：採用85插芯鎖體，安全可靠

ROE'ASY
 KT
 Separate Stainless Steel Door Lock
 分體不銹鋼門鎖



KT-0237



KT-0238



KT-0239



KT-0241



KT-0242



KT-0243



SEPARATE STAINLESS STEEL DOOR LOCK SERIES

Material:304 Stainless steel
 Finish:CA/SS、PVD、PVD/SS、SP、AB、AC
 Lock body: 50X85 lock body
 Cylinder: Brass Cylinder With Brass Computer Key
 Lockbody center distance: 85mm
 Available door thickness: 35-55mm
 special door thickness: 55-75mm
 Application range: Suitable for outside gate, gate, bi-parting door locks.
 Features: Adopts 85 mortise lock body, safe and reliable


分體不銹鋼門鎖系列

主要材質：304不銹鋼
 表面處理：亮光間沙光、金色、金色間沙光、不銹鋼拋光、青古銅、紅古銅
 鎖體型號：50x85鎖體
 鎖芯：電腦開鎖芯
 鎖體中心距：85mm
 適用門厚：35-55mm
 特殊門厚：55-75mm
 使用範圍：適用於戶外門、大門、對開門假手鎖
 特點：採用85插芯鎖體，安全可靠


MA Mortise Lock series
MA面板系列





LB Mortise Lock series
LB面板系列




LA Mortise Lock series
LA面板系列




Optional color Sanding Antique brass Antique copper Gold
可選顏色: 沙光 青古 紅古 金色




Optional color Sanding Antique brass Antique copper Gold
可選顏色: 沙光 青古 紅古 金色




DH-63530A-4BB




DH-454535A-2BB
DH-454530A-2BB




DH-4330A-4BB
DH-4325A-4BB
DH-4320A-4BB




DH-4330AY-4BB
DH-4325AY-4BB




DH-4330Q
DH-4325Q




DH-42525Q




DH-3320Q




DH-353525A-2BB
DH-353520A-2BB




DH-5430Q
DH-5425Q




Optional color Sanding Antique brass Antique copper Gold
可選顏色: 沙光 青古 紅古 金色




DH-4430B-2BB
DH-4425B-2BB




DH-43530B-2BB




DH-4330B1-2BB
DH-4325B1-2BB




DH-4330B2-2BB
DH-4325B2-2BB




DH-4330B3-2BB
DH-4325B3-2BB




DH-4330B4-2BB
DH-4325B4-2BB




DH-4330B5-2BB
DH-4325B5-2BB



DH-4330Q-1BB
DH-4325Q-1BB



DH-ST0425



Optional color: Sanding Antique brass Antique copper Gold
可選顏色: 沙光 青古 紅古 金色



DH-ST0530
101 3.0
125




DH-DT0425
120 2.5
99




DH-DT0530
156 3.0
123




DH-375A
DH-275A
DH-225A
93 18.5 26.5 73



CX-01-4
CX-01-5
CX-01-6
140 100 40 24



CX-03-4
140 100 45 28



CX-04-3
12 12 75 40



CX-05-6
CX-05-8
19 150/200 33



CX-06-6
CX-06-8
16.5 150/200 20.5 10

Optional color: Sanding Antique brass Antique copper Gold
可選顏色: 沙光 青古 紅古 金色




DH-001
75 54 42



DH-204
55 35 34




DH-205
56 42 30



DH-222
85 51 32



DH-223
76 47 32



DH-213
78 40 30



DH-215
78 50 49



DH-232
150 42 35



DH-330
82 46 30



DH-331
88 48 34



DH-511
93 52 34



DH-520
75 45 30

Optional color: Sanding Antique brass Antique copper Gold
可選顏色: 沙光 青古 紅古 金色



DH-521



DH-522



DH-523



DH-524



DH-530



DH-531



DH-532



DH-536



DH-552



DH-600



DH-601




DH-602

Optional color: Sanding Antique brass Antique copper Gold
可選顏色: 沙光 青古 紅古 金色



DH-603



DH-605



DH-614A



DH-614B



DH-614C



DH-615



DH-624



DH-631



DH-632



DH-633



DH-665



DH-800

Optional color Sanding Antique brass Antique copper Gold
可選顏色: 沙光 青古 紅古 金色



DH-811



DH-801



DH-711



DH-712




DH-713




DH-718




DH-719




DH-721




DH-722



DH-723



DH-724




DH-725


Optional color Sanding Antique brass Antique copper Gold
可選顏色: 沙光 青古 紅古 金色




DH-729



DH-727



DH-728




DH-726



DH-331



DH-732




DH-733




FD-801



FD-802



FD-803




FD-04




FD-810


Optional color: Sanding Antique brass Antique copper Gold
可選顏色: 沙光 青古 紅古 金色




FD-811




FD-812



FD-820



FD-821




FD-822




DA-803



DA-801



DA-701



DL-04



DS-668 M/L




DS-778




DS-888

Engineering lock sets
工程套裝鎖具




One key can open all the doors
一把鑰匙可開啓所有的門

Dormitory lock sets
宿舍套裝鎖具



Each key can open public door and its own individual door
每把鑰匙可開公共門和自己的門

Company lock sets
公司套裝鎖具



Each key can open its individual door, the head key can open all the doors
各人可開自己的門，總鑰匙可開所有的門

090

HARDWARE
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15