

荣泰五金交通示意图



德国总部：德国荣易科技集团有限公司

地址：德国杜塞尔多夫市克雷费尔德街19号
邮箱/E-mail: awen@rtwj.com 邮编/Zip Code: 40549
网址/Website: www.roeasy.de / www.roeasy.hk

GERMANY ROEASY TECHNOLOGY GROUP LIMITED

Adds: Krefelder Str.19,40549 Duesseldorf Germany.

中国区运营总公司：广东荣宇泰企业管理有限公司

地址：广州市白云区沙太路283号天健广场A1201-04
电话/Tel: 020-36756028 传真/Fax: 020-36756028
邮箱/E-mail: xgp@rtwj.com 网址/Website: www.ro-easy.com

GUANGDONG RONGYUTAI ENTERPRISE INC.

Adds: Room A1201-04, Tianjian International Decoration Plaza,
No.283, Shatai Road, Guangzhou, China.

中国区独家代理公司：广州市荣泰五金制品有限公司

地址：广州市白云区蟪蜎东路4号（天健广场入口右侧荣泰五金广东总部）2栋
电话/Tel: 0086-20-87046681 87046683 传真/Fax: 0086-20-87046682
邮箱/E-mail: info@cnrongtai.com
网址/Website: www.rt-hardware.com / www.rt-hardware.net

GUANGZHOU RONGTAI HARDWARE PRODUCTS LIMITED

Adds: No.4 East Chanchushi Rd., Baiyun District, Guangzhou, China.
(On the Right from the Tianjian Squire Main Entrance,
Guangdong Headquarters of Rongtai Hardware)


生产基地：广东省汕头市荣易金属塑胶制品厂

工厂地址：广东省汕头市澄海区东里镇塘西工业区尾巷1号
电话/Tel: 0086-754-85751190 传真/Fax: 0086-754-85752879

SHANTOU ROEASY HARDWARE PLASTIC PRODUCTS FACTORY

Factory Address: No.1, East Side, Tangxi Industrial Zone, Dongli,
Chenghai, Shantou, Guangdong, China.

荣易
ROEASY ISO9001:2000 認證企業




Furniture Hardware
For Wardrobe Kitchen Bathroom Office

SLIDE

滑轨产品画册

荣易 ROEASY



名曰廣台 [佛山] TEL:13923140158

荣易
ROEASY

Hongkong Rongtai Hardware(Group) Co.,Ltd,(short as Rongtai Group) was established in 1990.

Rongtai Group is a modern enterprise which's combining: manufacturing ; technique; trading and service. Also owned the world wide famous brands: ROEASY,Ronglisi, Kaili, Kechuang, Hequn, Meking, TDS,Suogu, etc.

In 2015 RONGTAI Group established a new brand ROEASY, it is for global marketing. With the management approach of Quality first and Customer foremost , there was already a complete set of normalization, scientific and standardization quality management measures and quality control system. We believe ROEASY can offer more professional, more scientific and more humanistic products for our life!

Group Overview

Contents

目錄

阻尼騎馬抽系列 Tandem Box Drawer Slide Series			
01-04	Installation technological information 安裝技術信息	05	Tandem Box Drawer Slide (Standard) TD-190F 阻尼騎馬抽 (低幫)
06	Tandem Box Drawer Slide (Standard) TD-190B 阻尼騎馬抽 (低幫)	07	Tandem Box Drawer Slide (Standard) TD-190R 阻尼騎馬抽 (低幫)
08	Tandem Box Drawer Slide (One bar) TD-191 阻尼騎馬抽 (加一杆)	09	Tandem Box Drawer Slide (Two bars) TD-192 阻尼騎馬抽 (加二杆)
10	Tandem Box Drawer Slide (High Side Board) TD-194 阻尼騎馬抽 (高幫)	11	Tandem Box Drawer Slide (Square) TD-195 阻尼騎馬抽 (方形)
隱藏導軌系列 Undermount Drawer Slide Series			
13-14	Installation technological information 安裝技術信息	15	Single-Extension Undermount Slide (Self-closing) US-021 二節隱藏式滑軌 (自閉式)
16	Single-Extension Undermount Slide (Soft-closing) US-022 二節隱藏式滑軌 (緩衝式)	17	Single-Extension Undermount Slide (Push-open) US-023 二節隱藏式滑軌 (反彈式)
18	Full-Extension Undermount Slide (Self-closing) US-031 三節隱藏式滑軌 (自閉式)	19	Full-Extension Undermount Slide (Soft-closing) US-032 三節隱藏式滑軌 (緩衝式)
20	Full-Extension Undermount Slide (Push-open) US-033 三節隱藏式滑軌 (反彈式)	21	Full-Extension Undermount Soft-closing Slide (Pulling Basket) US-050 三節隱藏式滑軌 (緩衝拉籃式)
鋼珠滑軌系列 Ball Bearing Slide Series			
23-24	Installation technological information 安裝技術信息	25	17mm Ball Bearing Slide Series BS-17 17mm 鋼珠滑軌系列
26	27mm Ball Bearing Slide Series BS-27 27mm 鋼珠滑軌系列	27	30mm Ball Bearing Slide Series BS-30 30mm 鋼珠滑軌系列
28	35mm Ball Bearing Slide Series BS-35 35mm 鋼珠滑軌系列	29	40mm Ball Bearing Slide Series BS-40 40mm 鋼珠滑軌系列
30	42mm Ball Bearing Slide Series BS-42 42mm 鋼珠滑軌系列	31	45mm Ball Bearing Slide Series BS-45 45mm 鋼珠滑軌系列
32	45mm Ball Bearing Slide Series (Clamp-on) BS-45 Clamp-on 45mm 鋼珠滑軌系列 (托底式)	33	45mm Ball Bearing Slide Series (With Hook) BS-45 45mm 鋼珠滑軌系列 (挂插式)
34	Stainless Steel Ball Bearing Slide Series BS-35/43/45SS 不銹鋼鋼珠滑軌系列	35	Special Function Ball Bearing Slide Series (Soft-closing) LOCK 1 特殊功能鋼珠滑軌系列 (緩衝式)
36	Special Function Ball Bearing Slide Series (Self-closing) LOCK 2 特殊功能鋼珠滑軌系列 (自鎖式)	37	Special Function Ball Bearing Slide Series (Push-open) LOCK 3 特殊功能鋼珠滑軌系列 (反彈式)
38	Special Function Ball Bearing Slide Series (Soft-closing) LOCK 4 特殊功能鋼珠滑軌系列 (緩衝式)	39	45mm Ball Bearing Slide Series (Hettich) BS-45 45mm 鋼珠滑軌系列 (海蒂斯款)
40	51mm Heavy-duty Ball Bearing Slide Series BS-51 51mm 重型鋼珠滑軌系列	41	53mm Heavy-duty Ball Bearing Slide Series BS-53A 53mm 重型鋼珠滑軌系列
42	76mm Heavy-duty Ball Bearing Slide Series BS-76 76mm 重型鋼珠滑軌系列	43	Computer Keyboard Drawer Slide Series BS-KB27/35 鍵盤滑軌系列
44	Wardrobe push/pull Mirror Rail Series DS-W01 衣櫃推拉鏡滑軌系列		
側板滑軌系列 Metal Box Drawer Slide Series			
46-48	Installation technological information 安裝技術信息	49	Metal Box Drawer Slide (86mm) DS-CB086 側板滑軌 (86mm)
50	Metal Box Drawer Slide (118mm) DS-CB118 側板滑軌 (118mm)	51	Metal Box Drawer Slide (150mm) DS-CB150 側板滑軌 (150mm)
噴粉托底導軌系列 Powder Coated Slide Series			
53-54	Installation technological information 安裝技術信息	55	Powder Coated Slide (South America Self-closing Type) DS-SAS 噴粉托底滑軌 (南美自閉款)
56	Powder Coated Slide (FGV Type) DS-FGV 噴粉托底滑軌 (FGV款)	57	Powder Coated Slide (Ferrari Type) DS-FLL 噴粉托底滑軌 (法拉利款)



Tandem Box Drawer Slide Series

阻尼騎馬抽系列



Simple Installation Toolless assembly & disassembly 簡單的安裝 無需任何工具



Fitting and removing panels without the need for tools.
Set drawer profile.
Gently press the button into place.
Fitting & removing panel by pressing the two buttons, no need tools.



面板的安裝和拆卸無需工具
面板只需插上
通過輕壓即扣入
面板通過兩個按鈕拆卸，無需工具

Bars Installation
Hang the vertical bar on the backside.
Then buckle it anteriorly.
The panel angle can be adjusted through the vertical bar.

欄杆的安裝
先將縱向的欄杆掛在後部
然後在前部扣入
面板的角度通過縱向的欄杆調節



Installation technological information 安裝技術信息



Fast & Easy Installation 抽屜的安裝和拆卸既快又舒適

Position the drawer on the runner and push it into the place. Because it is automatically connected to the runner by catches.

The catches can prevent the drawer from slipping off.

During disassembly pressing the catches in while pulling the drawer forward.

安裝時只需將抽屜放在拉出的滑軌上，推入即可，因為抽屜通過兩個卡子自動與滑軌相連


卡子可以防止抽屜的意外滑落

拆卸時將兩邊的卡子向裏壓，同時向前移動抽屜。




Installation technological information
安裝技術信息



Drawer 鍋碗抽屜



Drawer Panel 鍋碗抽屜面板




Lateral & Vertical bar 橫向和縱向杆




Installation technological information
安裝技術信息

Panel fastener, White plastic
面板固定件, 白色塑料


Aluminum backboard
鋁背板




Backboard Installation
木背板的安裝




Size
尺寸



Drawer
抽屜



Drawer Panel
抽屜面板



普通抽屜所用的Roeasy滑軌

抽屜 基本長度	Roeasy 30 部分拉出滑軌 EB 12.5 EB 10.5 EB 9.5	不能拉出 長度	RoeasyV6 全拉出滑軌 EB 12.5 EB 10.5 EB 9.5	抽屜 最小深度
260mm	072 354 073 265 073 268	53mm	072 911 072 998 073 273	278mm
350mm	078 499 079 000 079 001	76mm	078 505 079 002 079 003	365mm
420mm	072 355 073 266 073 269	88mm	073 271 072 999 073 274	435mm
470mm	073 267 072 356 073 270	100mm	073 056 073 272 073 275	485mm
520mm	078 502 078 503 078 504	112mm	078 508 078 509 078 510	535mm

A尺寸取決於滑軌的安裝寬度EB

側板 厚度KS	Roeasy 安裝寬度EB	Roeasy 安裝寬度EB	A尺寸
16mm	12.5mm	12.5mm	23mm
18mm	10.5mm	10.5mm	21mm
19mm	9.5mm	9.5mm	20mm

荣易
ROE'ASY

Tandem Box Drawer Slide (Standard)
TD-190F 阻尼骑马抽(低帮)




Tandem Box Drawer Slide (Standard)

Material:Cold-rolled steel
Finish:Paint
Open-close times: 50000 times
Max Weight: 35KG/18"
Dimension:10"12" 14" 16" 18" 20" 22" 24"
Application: Office furniture,kitchen cabinet and home furniture drawer
Features:High quality cold rolled steel
Hi-tech electroplating technology for rust resistance
international advanced spray-paint technology
High precision steel ball assembly for smooth and silent rolling

阻尼骑马抽(低帮)

主要材質: 冷扎鋼板
表面處理: 噴漆
開合次數: 50000次
最大承重: 35KG/18"
產品規格: 10"12" 14" 16" 18" 20" 22" 24"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: 選用優質進口冷扎鋼板制造
采用高技術的電鍍工藝
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組合件，滾動平滑無聲，載重力強

滑軌基本長度 NOMINAL LENGTH	抽屜最小安裝長度 MIN.INSTALLATION LENGTH	抽屜最小安裝高度 MIN.INSTALLATION HEIGHT	毛重.(KG) G.W	每箱裝數 SETS/CTN	體積 MEASUREMENT
270mm	290mm	105mm	13.00	6	29.5x34.5x21.5
300mm	320mm	105mm	15.00	6	32.5x34.5x21.5
350mm	370mm	105mm	18.00	6	37.5x34.5x21.5
400mm	420mm	105mm	19.70	6	42.5x34.5x21.5
450mm	470mm	105mm	21.50	6	47.5x34.5x21.5
500mm	520mm	105mm	23.80	6	52.5x34.5x21.5
550mm	570mm	105mm	25.70	6	57.5x34.5x21.5



荣易
ROE'ASY

Tandem Box Drawer Slide (Standard)
TD-190B 阻尼骑马抽(低帮)




Tandem Box Drawer Slide (Standard)

Material:Cold-rolled steel
Finish:Paint
Open-close times: 50000 times
Max Weight: 35KG/18"
Dimension:10"12" 14" 16" 18" 20" 22" 24"
Application: Office furniture,kitchen cabinet and home furniture drawer
Features:High quality cold rolled steel
Hi-tech electroplating technology for rust resistance
international advanced spray-paint technology
High precision steel ball assembly for smooth and silent rolling

阻尼骑马抽系列(低帮)

主要材質: 冷扎鋼板
表面處理: 噴漆
開合次數: 50000次
最大承重: 35KG/18"
產品規格: 10"12" 14" 16" 18" 20" 22" 24"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: 選用優質進口冷扎鋼板制造
采用高技術的電鍍工藝
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組合件，滾動平滑無聲，載重力強

滑軌基本長度 NOMINAL LENGTH	抽屜最小安裝長度 MIN.INSTALLATION LENGTH	抽屜最小安裝高度 MIN.INSTALLATION HEIGHT	毛重.(KG) G.W	每箱裝數 SETS/CTN	體積 MEASUREMENT
270mm	290mm	105mm	13.00	6	29.5x34.5x21.5
300mm	320mm	105mm	15.00	6	32.5x34.5x21.5
350mm	370mm	105mm	18.00	6	37.5x34.5x21.5
400mm	420mm	105mm	19.70	6	42.5x34.5x21.5
450mm	470mm	105mm	21.50	6	47.5x34.5x21.5
500mm	520mm	105mm	23.80	6	52.5x34.5x21.5
550mm	570mm	105mm	25.70	6	57.5x34.5x21.5





Tandem Box Drawer Slide (Standard)


Material:Cold-rolled steel
Finish:Paint
Open-close times: 50000 times
Max Weight: 35KG/18"
Dimension:10"12" 14" 16" 18" 20" 22" 24"
Application: Office furniture,kitchen cabinet and home furniture drawer
Features:High quality cold rolled steel
Hi-tech electroplating technology for rust resistance
international advanced spray-paint technology
High precision steel ball assembly for smooth and silent rolling

阻尼骑马抽(低帮)

主要材質: 冷扎鋼板
表面處理: 噴漆
開合次數: 50000次
最大承重: 35KG/18"
產品規格: 10"12" 14" 16" 18" 20" 22" 24"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: 選用優質進口冷扎鋼板制造
采用高技術的電鍍工藝
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組合件，滾動平滑無聲，載重力強

滑軌基本長度 NOMINAL LENGTH	抽屜最小安裝長度 MIN.INSTALLATION LENGTH	抽屜最小安裝高度 MIN.INSTALLATION HEIGHT	毛重.(KG) G.W	每箱裝數 SETS/CTN	體積 MEASUREMENT
270mm	290mm	105mm	13.00	6	29.5x34.5x21.5
300mm	320mm	105mm	15.00	6	32.5x34.5x21.5
350mm	370mm	105mm	18.00	6	37.5x34.5x21.5
400mm	420mm	105mm	19.70	6	42.5x34.5x21.5
450mm	470mm	105mm	21.50	6	47.5x34.5x21.5
500mm	520mm	105mm	23.80	6	52.5x34.5x21.5
550mm	570mm	105mm	25.70	6	57.5x34.5x21.5

Installation Dimension
安裝尺寸圖



Tandem Box Drawer Slide (One bar)


Material:Cold-rolled steel
Finish:Paint
Open-close times: 50000 times
Max Weight: 35KG/18"
Dimension:10"12" 14" 16" 18" 20" 22" 24"
Application: Office furniture,kitchen cabinet and home furniture drawer
Features:High quality cold rolled steel
Hi-tech electroplating technology for rust resistance
international advanced spray-paint technology
High precision steel ball assembly for smooth and silent rolling

阻尼骑马抽(加一杆)

主要材質: 冷扎鋼板
表面處理: 噴漆
開合次數: 50000次
最大承重: 35KG/18"
產品規格: 10"12" 14" 16" 18" 20" 22" 24"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: 選用優質進口冷扎鋼板制造
采用高技術的電鍍工藝
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組合件，滾動平滑無聲，載重力強

滑軌基本長度 NOMINAL LENGTH	抽屜最小安裝長度 MIN.INSTALLATION LENGTH	抽屜最小安裝高度 MIN.INSTALLATION HEIGHT	毛重.(KG) G.W	每箱裝數 SETS/CTN	體積 MEASUREMENT
270mm	290mm	185mm	14.40	6	29.5x34.5x21.5
300mm	320mm	185mm	17.20	6	32.5x34.5x21.5
350mm	370mm	185mm	19.05	6	37.5x34.5x21.5
400mm	420mm	185mm	20.90	6	42.5x34.5x21.5
450mm	470mm	185mm	22.75	6	47.5x34.5x21.5
500mm	520mm	185mm	24.05	6	52.5x34.5x21.5
550mm	570mm	185mm	26.80	6	57.5x34.5x21.5

Installation Dimension
安裝尺寸圖





Tandem Box Drawer Slide (Square)

Material: Cold-rolled steel

Finish: Paint

Open-close times: 50000 times

Max Weight: 35KG/18"

Dimension: 10" 12" 14" 16" 18" 20" 22" 24"

Application: Office furniture, kitchen cabinet and home furniture drawer

Features: High quality cold rolled steel

Hi-tech electroplating technology for rust resistance

international advanced spray-paint technology

High precision steel ball assembly for smooth and silent rolling

阻尼騎馬抽(方形)

主要材質: 冷扎鋼板

表面處理: 噴漆

開合次數: 50000次

最大承重: 35KG/18"

產品規格: 10" 12" 14" 16" 18" 20" 22" 24"


應用: 辦公家具、櫥櫃及家用抽屜

產品特性: 選用優質進口冷扎鋼板製造

採用高技術的電鍍工藝

採用國際先進噴塗技術, 無毒環保

採用高精鋼珠組件, 滾動平滑無聲, 載重力強



Undermount Drawer Slide Series 隱藏導軌系列

Silence & Hidden

Neither hears the voice nor sees it. Roeasy drawer slides are especially suitable for the high quality furniture. You can only realize such a high technology hidden in the furniture by its superior function.

無聲和隱藏性

您既聽不到Roeasy的滑動聲, 也看不到它。在高質量的家具上, 特別適合用Ronglisi滑軌。您只能通過其優異的功能才能體會到隱藏在家具中的這種高技術。

Long life, easy sliding

A CD drawer often slides in and out over 10000 times. If using Roeasy Drawer Slide, it absolutely meets such a request, because Roeasy Drawer Slide is produced for the long life and high load design.

長壽命, 易滑動

一個放CD碟的抽屜經常會拉進拉出超過一萬次, 如果採用了Roeasy滑軌, 絕對能勝任這種要求。因為Roeasy滑軌就是針對長壽命和高負荷而設計生產的。




High-tech Products
高技術產品

Optimization Design of Furniture
優化家具設計




Installation technological information
安裝技術信息

Drawer Drill Holes 抽屜鑽孔位置



Quick installation, toolless assembly/disassembly
Soft-closing function for closing well.
Silent system for closing quietly and gently.
Galvanized material no need re-spraying.
Easy to adjust the drawer's height slightly $\pm 3\text{mm}$
Two-fold Drawer slide bears 20KG.


抽屜快速拆裝，無需使用工具。
抽屜關閉有良好的緩衝功能。
抽屜推拉具有良好靜音效果。
鍍鋅材質無需再次噴塗。
抽屜高低方便抽微調 $\pm 3\text{mm}$
二節滑軌負重20kg






Installation technological information
安裝技術信息

Assembly 安裝

Disassembly 拆卸



Slide With Wooden Side Panel Drawer & Combination 滑軌配合木側板抽屜和組合架






Single-Extension Undermount Slide (Self-closing)

Material: Cold-rolled steel
Finish: Zinc-plated
Open-close times: 50000 times
Max load: 20KG/18"
Dimension: 12" 14" 16" 18" 20" 22"
Application: Office furniture, kitchen cabinet and home furniture drawer
Features: Hi-tech electroplating technology for rust resistance
Hidden and strong bearing weight
It will be self closing when the drawer move to the place of 40mm

二節隱藏式滑軌(自閉式)


主要材質: 冷扎鋼板
表面處理: 鍍鋅
開合次數: 50000次
最大承重: 20KG/18"
產品規格: 12" 14" 16" 18" 20" 22"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: 採用高技術的電鍍工藝，有效防止生銹
道軌安裝于抽屜底部有隱藏和承重力強的優點
抽屜滑行至預存40mm會自動關閉

Installing Demonstration
安裝示範圖




標稱長度 AL	抬起保險 X1	調整孔位 X2
310mm	234mm	254mm
360mm	284mm	304mm
410mm	334mm	354mm
460mm	384mm	404mm
510mm	434mm	454mm
560mm	484mm	504mm


Cabinet Space Arrangement
箱體內空間需求




Drawer / Inner Drawer
低抽屜 / 內低抽



Drawer
低抽屜



Inner Drawer
內低抽




Single-Extension Undermount Slide (Soft-closing)

Material: Cold-rolled steel
Finish: Zinc-plated
Open-close times: 50000 times
Max load: 20KG/18"
Dimension: 12" 14" 16" 18" 20" 22"
Application: Office furniture, kitchen cabinet and home furniture drawer
Features: Hi-tech electroplating technology for rust resistance
Hidden and strong bearing weight
It will be self closing when the drawer move to the place of 40mm

二節隱藏式滑軌(緩衝式)


主要材質: 冷扎鋼板
表面處理: 鍍鋅
開合次數: 50000次
最大承重: 20KG/18"
產品規格: 12" 14" 16" 18" 20" 22"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: 採用高技術的電鍍工藝，有效防止生銹
道軌安裝于抽屜底部有隱藏和承重力強的優點
抽屜滑行至預存40mm會自動關閉

Installing Demonstration
安裝示範圖




標稱長度 AL	抬起保險 X1	調整孔位 X2
310mm	234mm	254mm
360mm	284mm	304mm
410mm	334mm	354mm
460mm	384mm	404mm
510mm	434mm	454mm
560mm	484mm	504mm


Cabinet Space Arrangement
箱體內空間需求




Drawer / Inner Drawer
低抽屜 / 內低抽



Drawer
低抽屜



Inner Drawer
內低抽






Single-Extension Undermount Slide (Push-open)

Material:Cold-rolled steel
Finish:Zinc-plated
Open-close times: 50000 times
Max load: 20KG/18"
Dimension:12" 14" 16" 18" 20" 22"
Application: Office furniture,kitchen cabinet and home furniture drawer
Features:Hi-tech electroplating technology for rust resistance
Hidden and strong bearing weight
It will be self closing when the drawer move to the place of 40mm

二節隱藏式滑軌(反彈式)


主要材質: 冷扎鋼板
表面處理: 鍍鋅
開合次數: 50000次
最大承重: 20KG/18"
產品規格: 12" 14" 16" 18" 20" 22"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: 采用高技術的電鍍工藝，有效防止生銹
道軌安裝于抽屜底部有隱藏和承重力強的優點
抽屜滑行到預存40mm會自動關閉

Installing Demonstration
安裝示範圖




標稱長度 AL	抬起保險 X1	調整孔位 X2
310mm	234mm	254mm
360mm	284mm	304mm
410mm	334mm	354mm
460mm	384mm	404mm
510mm	434mm	454mm
560mm	484mm	504mm


Cabinet Space Arrangement
箱體內空間需求




Drawer / Inner Drawer
低抽屜/內低抽



Drawer
低抽屜



Inner Drawer
內低抽




Full-Extension Undermount Slide (Self-closing)

Material:Cold-rolled steel
Finish:Zinc-plated
Open-close times: 50000 times
Max load: 20KG/18"
Dimension:12" 14" 16" 18" 20" 22"
Application: Office furniture,kitchen cabinet and home furniture drawer
Features:Hi-tech electroplating technology for rust resistance
Hidden and strong bearing weight
It will be self closing when the drawer move to the place of 40mm

三節隱藏式滑軌(自閉式)


主要材質: 冷扎鋼板
表面處理: 鍍鋅
開合次數: 50000次
最大承重: 20KG/18"
產品規格: 12" 14" 16" 18" 20" 22"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: 采用高技術的電鍍工藝，有效防止生銹
道軌安裝于抽屜底部有隱藏和承重力強的優點
抽屜滑行到預存40mm會自動關閉

Installing Demonstration
安裝示範圖




標稱長度 AL	抬起保險 X1	調整孔位 X2
310mm	234mm	254mm
360mm	284mm	304mm
410mm	334mm	354mm
460mm	384mm	404mm
510mm	434mm	454mm
560mm	484mm	504mm


Cabinet Space Arrangement
箱體內空間需求




Drawer / Inner Drawer
低抽屜/內低抽



Drawer
低抽屜



Inner Drawer
內低抽






Full-Extension Undermount Slide (Soft-closing)

Material: Cold-rolled steel
Finish: Zinc-plated
Open-close times: 50000 times
Max load: 20KG/18"
Dimension: 12" 14" 16" 18" 20" 22"
Application: Office furniture, kitchen cabinet and home furniture drawer
Features: Hi-tech electroplating technology for rust resistance
Hidden and strong bearing weight
It will be self closing when the drawer move to the place of 40mm

三節隱藏式滑軌(緩衝式)


主要材質: 冷扎鋼板
表面處理: 鍍鋅
開合次數: 50000次
最大承重: 20KG/18"
產品規格: 12" 14" 16" 18" 20" 22"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: 採用高技術的電鍍工藝，有效防止生銹
道軌安裝于抽屜底部有隱藏和承重力強的優點
抽屜滑行到預存40mm會自動關閉

Installing Demonstration
安裝示範圖




標稱長度 AL	抬起保險 X1	調整孔位 X2
310mm	234mm	254mm
360mm	284mm	304mm
410mm	334mm	354mm
460mm	384mm	404mm
510mm	434mm	454mm
560mm	484mm	504mm


Cabinet Space Arrangement
箱體內空間需求




Drawer / Inner Drawer
低抽屜 / 內低抽



Drawer
低抽屜



Inner Drawer
內低抽




Full-Extension Undermount Slide (Push-open)

Material: Cold-rolled steel
Finish: Zinc-plated
Open-close times: 50000 times
Max load: 20KG/18"
Dimension: 12" 14" 16" 18" 20" 22"
Application: Office furniture, kitchen cabinet and home furniture drawer
Features: Hi-tech electroplating technology for rust resistance
Hidden and strong bearing weight
It will be self closing when the drawer move to the place of 40mm

三節隱藏式滑軌(反彈式)


主要材質: 冷扎鋼板
表面處理: 鍍鋅
開合次數: 50000次
最大承重: 20KG/18"
產品規格: 12" 14" 16" 18" 20" 22"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: 採用高技術的電鍍工藝，有效防止生銹
道軌安裝于抽屜底部有隱藏和承重力強的優點
抽屜滑行到預存40mm會自動關閉

Installing Demonstration
安裝示範圖




標稱長度 AL	抬起保險 X1	調整孔位 X2
310mm	234mm	254mm
360mm	284mm	304mm
410mm	334mm	354mm
460mm	384mm	404mm
510mm	434mm	454mm
560mm	484mm	504mm


Cabinet Space Arrangement
箱體內空間需求




Drawer / Inner Drawer
低抽屜 / 內低抽



Drawer
低抽屜



Inner Drawer
內低抽



榮易
ROE'ASY

Full-Extension Undermount Soft-closing Slide (Pulling Basket)
US-050 三節隱藏式滑軌(緩衝拉籃式)




Full-Extension Undermount Soft-closing Slide (Pulling Basket)

Material:Cold-rolled steel
Finish:Zinc-plated
Open-close times: 50000 times
Max load: 20KG/18"
Dimension:12" 14" 16" 18" 20" 22"
Application: Office furniture,kitchen cabinet and home furniture drawer
Features:Hi-tech electroplating technology for rust resistance
Hidden and strong bearing weight
New type high quality hydraulic bar and soft closing design

三節隱藏式滑軌(緩衝拉籃式)


主要材質: 冷扎鋼板
表面處理: 鍍鋅
開合次數: 50000次
最大承重: 20KG/18"
產品規格: 12" 14" 16" 18" 20" 22"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: 採用高技術的電鍍工藝，有效防止生銹
道軌安裝於抽屜底部有隱藏和承重力強的優點
採用最新液壓緩衝式自閉裝置

Installing Demonstration
安裝示範圖




標稱長度 AL	抬起保險 X1	調整孔位 X2
310mm	234mm	254mm
360mm	284mm	304mm
410mm	334mm	354mm
460mm	384mm	404mm
510mm	434mm	454mm
560mm	484mm	504mm


Cabinet Space Arrangement
箱體內空間需求




Drawer / Inner Drawer
低抽屜/內低抽



Drawer
低抽屜



Inner Drawer
內低抽



Ball Bearing Slide Series
鋼珠滑軌系列



Optional accessories:
可選配件:

Optional Balls 可選珠片



Two Balls 兩連珠



Three Balls 三連珠



Four Balls 四連珠



Five Balls 五連珠



Six Balls 六連珠

Optional Rubber 可選阻尼類型



Small Transparent Rubber 透明小阻尼



Small Black Rubber 黑色小阻尼



Big Transparent Rubber 透明大阻尼



Big Orange Rubber 橙色大阻尼



Big Transparent Rubber 透明大阻尼



Big Grey Rubber 灰色大阻尼


Optional Finish 可選表面處理



Black 黑色



Zinc 白鋅



Double Zinc Finish 封閉漆



Dotted 壓紋

Optional "Fish" 可選“魚”配件




Black 黑色



Yellow 黃色




White 白色



Grey 灰色

Installation technological information
安裝技術信息



instructions:
Full-extension ball bearing slide
Installation width: 12.7mm
Load: 45Kg/18"
Overlapping full-extension ball bearing slide
With lock, prevent the drawer from slipping out

說明: 全拉出滾珠滑
安裝寬度12.7毫米
載重45公斤/18寸
相疊的全拉出滾珠滑軌
帶定位器, 防滑出保護件

Minial Cabinet Depth=Drawer Length+4
最小櫃深=抽屜長度+4



ITEM NO. 訂貨編號	LENGTH 長度	THICKNESS 厚度	BAR CODE 條形碼
BS-1710	10"- 24"	1.0x1.0(mm)	

17mm Ball Bearing Slide Series

Material:Cold-rolled steel

Finish:Zinc plated

Open-close times: 50000 times

Max load: 10KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22" 24"

Features:High quality cold-rolled steel

- Hi-tech electroplating technology of rust resistance
- International advanced spray-paint technology
- High precision steel ball assembling for smooth and silent rolling

17mm鋼珠滑軌系列

主要材質：冷扎鋼板

表面處理：鍍鋅

開合次數：50000次


最大承重：10KG/18"

產品規格：10" 12" 14" 16" 18" 20" 22" 24"


產品特性：選用優質進口冷扎鋼板制造

- 采用高技術的電鍍工藝，有效防止生鏽
- 采用國際先進噴塗技術，無毒環保
- 采用高精鋼珠組合件，滾動平滑無聲，載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖



ITEM NO. 訂貨編號	LENGTH 長度	THICKNESS 厚度	BAR CODE 條形碼
BS-2708	10"- 24"	0.8x0.8(mm)	
BS-2710	10"- 24"	1.0x1.0(mm)	

27mm Ball Bearing Slide Series

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 15KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22" 24"

Features:High quality cold-rolled steel

- Hi-tech electroplating technology of rust resistance
- International advanced spray-paint technology
- High precision steel ball assembling for smooth and silent rolling

27mm鋼珠滑軌系列

主要材質：冷扎鋼板

表面處理：鍍鋅 / 噴黑漆

開合次數：50000次


最大承重：15KG/18"

產品規格：10" 12" 14" 16" 18" 20" 22" 24"


產品特性：選用優質進口冷扎鋼板制造

- 采用高技術的電鍍工藝，有效防止生鏽
- 采用國際先進噴塗技術，無毒環保
- 采用高精鋼珠組合件，滾動平滑無聲，載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖





30mm Ball Bearing Slide Series

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 20KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22" 24"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

30mm鋼珠滑軌系列

主要材質：冷扎鋼板

表面處理：鍍鋅 / 噴黑漆

開合次數：50000次


最大承重：20KG/18"

產品規格：10" 12" 14" 16" 18" 20" 22" 24"


產品特性：選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝，有效防止生銹
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組合作，滾動平滑無聲，載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖



35mm Ball Bearing Slide Series

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 25KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22" 24"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

35mm鋼珠滑軌系列

主要材質：冷扎鋼板

表面處理：鍍鋅 / 噴黑漆

開合次數：50000次


最大承重：25KG/18"

產品規格：10" 12" 14" 16" 18" 20" 22" 24"


產品特性：選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝，有效防止生銹
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組合作，滾動平滑無聲，載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖





ITEM NO. 訂貨編號	LENGTH 長度	THICKNESS 厚度	BAR CODE 條形碼
BS-4008	10"- 24"	0.8x0.8x0.8(mm)	
BS-4009	10"- 24"	0.9x0.9x0.9(mm)	
BS-4010	10"- 24"	1.0x1.0x1.0(mm)	

40mm Ball Bearing Slide Series

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 40KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22" 24"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

40mm鋼珠滑軌系列

主要材質：冷扎鋼板

表面處理：鍍鋅 / 噴黑漆

開合次數：50000次


最大承重：40KG/18"

產品規格：10" 12" 14" 16" 18" 20" 22" 24"


產品特性：選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝，有效防止生銹
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組合作，滾動平滑無聲，載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖



ITEM NO. 訂貨編號	LENGTH 長度	THICKNESS 厚度	BAR CODE 條形碼
BS-4208	10"- 24"	0.8x0.8x0.8(mm)	
BS-4209	10"- 24"	0.9x0.9x0.9(mm)	
BS-4210	10"- 24"	1.0x1.0x1.0(mm)	

42mm Ball Bearing Slide Series

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 40KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22" 24"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

42mm鋼珠滑軌系列

主要材質：冷扎鋼板

表面處理：鍍鋅 / 噴黑漆

開合次數：50000次


最大承重：40KG/18"

產品規格：10" 12" 14" 16" 18" 20" 22" 24"


產品特性：選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝，有效防止生銹
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組合作，滾動平滑無聲，載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖





45mm Ball Bearing Slide Series

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 45KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22" 24" 30" 36"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

45mm鋼珠滑軌系列

主要材質：冷扎鋼板

表面處理：鍍鋅 / 噴黑漆

開合次數：50000次


最大承重：45KG/18"

產品規格：10" 12" 14" 16" 18" 20" 22" 24" 30" 36"


產品特性：選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝，有效防止生銹
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組套件，滾動平滑無聲，載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖



45mm Ball Bearing Slide Series(Clamp-on)

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 45KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22" 24" 30" 36"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

45mm鋼珠滑軌系列(托底式)

主要材質：冷扎鋼板

表面處理：鍍鋅 / 噴黑漆

開合次數：50000次


最大承重：45KG/18"

產品規格：10" 12" 14" 16" 18" 20" 22" 24" 30" 36"


產品特性：選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝，有效防止生銹
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組套件，滾動平滑無聲，載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖





45mm Ball Bearing Slide Series (With Hook)

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 45KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22" 24" 30" 36"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

45mm鋼珠滑軌系列 (挂插式)

主要材質: 冷扎鋼板

表面處理: 鍍鋅 / 噴黑漆

開合次數: 50000次


最大承重: 45KG/18"

產品規格: 10" 12" 14" 16" 18" 20" 22" 24" 30" 36"


產品特性: 選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝，有效防止生銹
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組套件，滾動平滑無聲，載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖



Stainless Steel Ball Bearing Slide Series

Material: Stainless steel

Finish: SS

Open-close times: 50000 times

Max load: 45KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22" 24"

Features:High quality stainless steel material

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

不銹鋼鋼珠滑軌系列

主要材質: 不銹鋼

表面處理: 拉絲

開合次數: 50000次


最大承重: 45KG/18"

產品規格: 10" 12" 14" 16" 18" 20" 22" 24"


產品特性: 選用優質進口不銹鋼材料制造

采用高技術的電鍍工藝，有效防止生銹
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組套件，滾動平滑無聲，載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖





ITEM NO. 訂貨編號	LENGTH 長度	THICKNESS 厚度	BAR CODE 條形碼
LOCK 1	14"- 24"	1.2x1.2x1.5(mm)	

Special Function Ball Bearing Slide Series (Soft-closing)

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 45KG/18"

Dimension: 14" 16" 18" 20" 22" 24"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

特殊功能鋼珠滑軌系列(緩衝式)

主要材質: 冷扎鋼板

表面處理: 鍍鋅 / 噴黑漆

開合次數: 50000次

最大承重: 45KG/18"

產品規格: 14" 16" 18" 20" 22" 24"


產品特性: 選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝, 有效防止生銹


采用國際先進噴塗技術, 無毒環保

采用高精鋼珠組套件, 滾動平滑無聲, 載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖



ITEM NO. 訂貨編號	LENGTH 長度	THICKNESS 厚度	BAR CODE 條形碼
LOCK 2	14"- 24"	1.2x1.2x1.5(mm)	

Special Function Ball Bearing Slide Series (Soft-closing)

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 45KG/SET

Dimension:14" 16" 18" 20" 22" 24"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

特殊功能鋼珠滑軌系列(緩衝式)

主要材質: 冷扎鋼板

表面處理: 鍍鋅 / 噴黑漆

開合次數: 50000次

最大承重: 45KG/套

產品規格: 14" 16" 18" 20" 22" 24"


產品特性: 選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝, 有效防止生銹


采用國際先進噴塗技術, 無毒環保

采用高精鋼珠組套件, 滾動平滑無聲, 載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖





ITEM NO. 訂貨編號	LENGTH 長度	THICKNESS 厚度	BAR CODE 條形碼
LOCK 3	14"~ 24"	1.2x1.2x1.5(mm)	

Special Function Ball Bearing Slide Series (Push-open)

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 45KG/18"

Dimension:14" 16" 18" 20" 22" 24"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

特殊功能鋼珠滑軌系列(反彈式)

主要材質: 冷扎鋼板

表面處理: 鍍鋅 / 噴黑漆

開合次數: 50000次

最大承重: 45KG/18"

產品規格: 14" 16" 18" 20" 22" 24"


產品特性: 選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝, 有效防止生銹


采用國際先進噴塗技術, 無毒環保

采用高精鋼珠組零件, 滾動平滑無聲, 載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖



ITEM NO. 訂貨編號	LENGTH 長度	THICKNESS 厚度	BAR CODE 條形碼
LOCK 4	14"~ 24"	1.2x1.2x1.5(mm)	

Special Function Ball Bearing Slide Series (Self-closing)

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 45KG/18"

Dimension:14" 16" 18" 20" 22" 24"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

特殊功能鋼珠滑軌系列(自鎖式)

主要材質: 冷扎鋼板

表面處理: 鍍鋅 / 噴黑漆

開合次數: 50000次

最大承重: 45KG/18"

產品規格: 14" 16" 18" 20" 22" 24"


產品特性: 選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝, 有效防止生銹


采用國際先進噴塗技術, 無毒環保

采用高精鋼珠組零件, 滾動平滑無聲, 載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖



榮易
ROE'ASY

45mm Ball Bearing Slide Series (Hettich)
BS-45 45mm鋼珠滑軌系列(海蒂斯款)




45mm Ball Bearing Slide Series (Hettich)

Material:Cold-rolled steel
Finish:Zinc plated / Black-paint
Open-close times: 50000 times
Max load: 45KG/18"
Dimension:10" 12" 14" 16" 18" 20" 22" 24"
Features:High quality cold-rolled steel
Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling


45mm鋼珠滑軌系列(海蒂斯款)

主要材質：冷扎鋼板
表面處理：鍍鋅 / 噴黑漆
開合次數：50000次
最大承重：45KG/18"
產品規格：10" 12" 14" 16" 18" 20" 22" 24"
產品特性：選用優質進口冷扎鋼板制造
采用高技術的電鍍工藝，有效防止生銹
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組合件，滾動平滑無聲，載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖



榮易
ROE'ASY

51mm Heavy-duty Ball Bearing Slide Series
BS-51 51mm重型鋼珠滑軌系列




51mm Heavy-duty Ball Bearing Slide Series

Material:Cold-rolled steel
Finish:Zinc plated / Black-paint
Open-close times: 50000 times
Max load: 68KG/18"
Dimension:10" 12" 14" 16" 18" 20" 22" 24"
Features:High quality cold-rolled steel
Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

51mm重型鋼珠滑軌系列

主要材質：冷扎鋼板
表面處理：鍍鋅 / 噴黑漆
開合次數：50000次
最大承重：68KG/18"
產品規格：10" 12" 14" 16" 18" 20" 22" 24"
產品特性：選用優質進口冷扎鋼板制造
采用高技術的電鍍工藝，有效防止生銹
采用國際先進噴塗技術，無毒環保
采用高精鋼珠組合件，滾動平滑無聲，載重力強

Install Dimension
安裝尺寸圖





ITEM NO. 訂貨編號	LENGTH 長度	THICKNESS 厚度	BAR CODE 條形碼
BS-5320A	10"-60"	1.5x1.8x2.0(mm)	

53mm Heavy-duty Ball Bearing Slide Series

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 68KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22" 24"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

53mm重型鋼珠滑軌系列

主要材質：冷扎鋼板

表面處理：鍍鋅 / 噴黑漆

開合次數：50000次

最大承重：68KG/18"

產品規格：10" 12" 14" 16" 18" 20" 22" 24"




產品特性：選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝，有效防止生銹

采用國際先進噴塗技術，無毒環保

采用高精鋼珠組合作，滾動平滑無聲，載重力強

Install Dimension
安裝尺寸圖



ITEM NO. 訂貨編號	LENGTH 長度	THICKNESS 厚度	BAR CODE 條形碼
BS-7625	10"- 60"	2.5x2.2x2.5(mm)	

76mm Heavy-duty Ball Bearing Slide Series

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Max load: 180KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22" 24"

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance
International advanced spray-paint technology
High precision steel ball assembling
for smooth and silent rolling

76mm重型鋼珠滑軌系列

主要材質：冷扎鋼板

表面處理：鍍鋅 / 噴黑漆

開合次數：50000次

最大承重：180KG/18"

產品規格：10" 12" 14" 16" 18" 20" 22" 24"



產品特性：選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝，有效防止生銹


采用國際先進噴塗技術，無毒環保


采用高精鋼珠組合作，滾動平滑無聲，載重力強

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖





Computer Keyboard Drawer Slide Series

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Max load: 25KG/18"

Dimension:10" 12" 14" 16" 18" 20" 22"

Features:High Quality cold rolled steel

International advanced spray-paint technology

The high intensity wear-proof sliding roller

can make it smoothly and silently

Adjusting simple front connector,so that

Front-panel position is very accurate.

鍵盤滑軌系列

主要材質: 冷扎鋼板

表面處理: 鍍鋅 / 噴黑漆

最大承重: 25KG/18"

產品規格: 10" 12" 14" 16" 18" 20" 22"

產品特性: 選用優秀冷扎鋼板, 制造

采用國際先進噴塗技術, 無毒環保, 有效


防止腐蝕及生銹

采用高強度耐磨沒輪, 使滑軌抽出時


平滑順暢且低噪音

調節簡單的前連接件使得面板定位非常準確

Installing Demonstration
安裝示範圖



Install Dimension
安裝尺寸圖



Wardrobe push/pull Mirror Rail Series

Material:Cold-rolled steel

Finish:Zinc plated / Black-paint

Open-close times: 50000 times

Features:High quality cold-rolled steel

Hi-tech electroplating technology of rust resistance

International advanced spray-paint technology

High precision steel ball assembling

for smooth and silent rolling

衣櫃推拉鏡滑軌系列

主要材質: 冷扎鋼板

表面處理: 鍍鋅 / 噴黑漆


開合次數: 50000次

產品特性: 選用優質進口冷扎鋼板制造

采用高技術的電鍍工藝, 有效防止生銹

采用國際先進噴塗技術, 無毒環保

采用高精鋼珠組合件, 滾動平滑無聲, 載重力強



Metal Box Drawer Slide Series 側板滑軌系列



Installation technological information 安裝技術信息



Integrated Series

This product with beautiful appearance, is widely used for drawer series. Side panel height has 54mm, 86mm, 118mm and 150mm, nominal drawer lengths has 275mm, 375mm, 400mm, 450mm, 500mm and 550mm. The combination of both form a integrated series.

完整的側板滑軌系列

該產品是一種外形優美，應用廣泛的抽屜系列。側板的高度54, 86, 118和150毫米，長度有275, 375, 400, 450, 500和550毫米，兩者的結合組成了一個完整的系列。



Powder spraying side panel has two finish: white and silver-grey, it is easy to clean, adjust and use, which fully shows its advantages.

噴粉鋼側板有白色和銀灰色兩種，它容易清洗，便于調整，使用方便，充分顯示了其優點。



Installation technological information

安裝技術信息



Intergrated Series

The product is with self-closing function, so it is more convenient to use. Easy adjustment can create a more beautiful appearance and outstanding features. The panel can be adjusted ± 2 mm, drawer side panel can be adjusted within ± 1.5 mm. And tilt angel of the bowl drawer bar can be ajusted by rotating the bar.

完整的系列

該產品是帶有自閉功能，所以使用更方便。它容易調節，能創造出更優美原外形和突出的功能。面板能在 ± 2 毫米，抽屜側面在 ± 1.5 毫米範圍內調節。鍋碗抽屜的欄杆傾斜角度通過旋轉欄杆調節。

Panel installation is more simple

Fixed the panel and drawer with the 2pcs front connectors premounted, and fixed the both sides panel with screws. This simple operation for adjustment makes position accurate and interstices definite

面板的安裝更簡單

通過兩個預裝的前連接件將面板和抽屜固定，在其兩邊用螺絲固定。這種操作簡單的調節使得定位非常準確，間隙分明。



Home office

A system without files is not an called office, and an office without files shelf is not called office series. The drawer with side panle's height over 86 mm can be used in the home office.

家庭辦公室

沒有存放文件的系統就稱不上個辦公室，而沒有文件挂架就稱不上辦公系列。側板高度大于86毫米的抽屜都可用于家庭辦公室中。

Working brings fun

The length of file shelf can be 450,500 and 550 mm, width can be done according to requirements and existing space, Buckle the the both ends of separator bars into the hanging file rack through plastic cover, which can deposit A4 document. The edge protectors of the separator bars can make itself moves smoothly.


工作帶來樂趣

文件挂架的長度有450,500和550毫米，寬度可根據要求和現有的空間選擇。分隔條的兩端通過塑料蓋卡入文件挂架上，可存放A4文件。分隔條上的邊緣保護件可使分隔條平滑地移動。


Installation technological information

安裝技術信息


Installing Demonstration
安裝示範圖




Drilling pattern for cabinet member
固定軌安裝孔位





Size
尺寸



Drawer Panel
抽屜面板



Drawer
抽屜



Metal Box Drawer Slide (86mm)

DS-CB086 側板滑軌(86mm)



Metal Box Drawer Slide (86mm)


Material:Cold-rolled steel
Finish:Paint(Black / Grey / Or as required)
Open-close times: 50000 times
Max Weight: 25KG/18"
Dimension:10" 12" 14" 16" 18" 20" 22" 24"
Application: Office furniture,kitchen cabinet and home furniture drawer
Features:"32mm"hole series
International advanced spray-paint technology
Adjusting simply front connector,so that faceplate position is very accurate

側板滑軌(86mm)


主要材質: 冷扎鋼板
表面處理: 噴漆(黑色/灰色,或者根據客戶要求)
開合次數: 50000次
最大承重: 25KG/18"
產品規格: 10" 12" 14" 16" 18" 20" 22" 24"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: "32mm"系列孔位
采用國際先進噴塗技術,無毒環保
簡單地調節前連接件使得面板定位非常準確

抽屜長度 (L)	10" (250mm)	12" (300mm)	14" (350mm)	16" (400mm)	18" (450mm)	20" (500mm)	22" (550mm)	24" (600mm)
抽屜抽出長度 (A)	183.5mm	233.5mm	283.5mm	323.5mm	373.5mm	423.5mm	463.5mm	513.5mm

Stop Position
抽屜拉出停止位置



Installation Dimension
固定軌安裝孔位



Metal Box Drawer Slide (118mm)

DS-CB118 側板滑軌(118mm)



Metal Box Drawer Slide (118mm)


Material:Cold-rolled steel
Finish:Paint(Black / Grey / Or as required)
Open-close times: 50000 times
Max Weight: 25KG/18"
Dimension:10" 12" 14" 16" 18" 20" 22" 24"
Application: Office furniture,kitchen cabinet and home furniture drawer
Features:"32mm"hole series
International advanced spray-paint technology
Adjusting simply front connector,so that faceplate position is very accurate

側板滑軌(118mm)


主要材質: 冷扎鋼板
表面處理: 噴漆(黑色/灰色,或者根據客戶要求)
開合次數: 50000次
最大承重: 25KG/18"
產品規格: 10" 12" 14" 16" 18" 20" 22" 24"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: "32mm"系列孔位
采用國際先進噴塗技術,無毒環保
簡單地調節前連接件使得面板定位非常準確

抽屜長度 (L)	10" (250mm)	12" (300mm)	14" (350mm)	16" (400mm)	18" (450mm)	20" (500mm)	22" (550mm)	24" (600mm)
抽屜抽出長度 (A)	183.5mm	233.5mm	283.5mm	323.5mm	373.5mm	423.5mm	463.5mm	513.5mm

Stop Position
抽屜拉出停止位置



Installation Dimension
固定軌安裝孔位



榮易
ROE'ASY

Metal Box Drawer Slide (150mm)
DS-CB150 側板滑軌(150mm)



Metal Box Drawer Slide(150mm)


Material:Cold-rolled steel
Finish:Paint(Black / Grey / Or as required)
Open-close times: 50000 times
Max Weight: 25KG/18"
Dimension:10" 12" 14" 16" 18" 20" 22" 24"
Application: Office furniture,kitchen cabinet and home furniture drawer
Features:"32mm"hole series
International advanced spray-paint technology
Adjusting simply front connector,so that faceplate position is very accurate

側板滑軌(150mm)


主要材質: 冷扎鋼板
表面處理: 噴漆(黑色/灰色,或者根據客戶要求)
開合次數: 50000次
最大承重: 25KG/18"
產品規格: 10" 12" 14" 16" 18" 20" 22" 24"
應用: 辦公家具、櫥櫃及家用抽屜
產品特性: "32mm"系列孔位
採用國際先進噴塗技術,無毒環保
簡單地調節前連接件使得面板定位非常準確

抽屜長度 (L)	10" (250mm)	11" (270mm)	12" (300mm)	14" (350mm)	16" (400mm)	18" (450mm)	20" (500mm)	22" (550mm)	24" (600mm)
抽屜抽出長度 (A)	183.5mm	203.5mm	233.5mm	283.5mm	323.5mm	373.5mm	423.5mm	463.5mm	513.5mm


Stop Position
抽屜拉出停止位置



Installation Dimension
固定軌安裝孔位



Powder Coated Slide Series
噴粉托底導軌系列



Installation technological information

安裝技術信息

Advanced technology and design make the channel installation simple, channel 's flanging limit can balance the installation error, then make the channel move balancing on the left side and right side within the pull-out range. And the double row of holes on the fixed slide can make the channel installed across each other in the case of thinner side panel.


The sliding roller made of special plastic have different size ,which make the slides moves more silent and more flexible. The double stop bits make the slide move to best location. And self-closing function can prevent the drawer unnecessary opening.

The channel with Epoxy Compound Powder can effectively prevent the corrosion.




先進的技術和設計，簡便了路軌的安裝。滑輪的折邊限位平衡了安裝誤差，使得路軌在可拉出的範圍內左右兩邊能平衡移動。固定軌上的雙排孔使得在較薄的側板情況下，您能交錯安裝軌道。

由特殊塑料制造的滑動輪有各種尺寸，它保證了路軌在移動時更輕，更靈活。雙停止位使路軌得到最佳的定位位置，自閉功能防止了抽屜來必要的敞開。

用環氧化合物噴粉的路軌能有效地防止腐蝕。



自閉功能



These two types of slides can be widely used for furniture drawer ,kitchen drawer ,keyboard drawer.

The partial pull-out slide and full pull-out slide can exchange , and the size of drawer no need to change.

When the drawer keep the same height, on the 32 mm borehole, compared with the partial pull-out slide installation,the full pull-out slide just need a higher installation space.


這兩種路軌能普遍用于抽屜，鍋碗抽屜，和鍵盤工抽屜上。

部分拉出路軌和全拉出路軌能互換，抽屜和櫃子的尺寸不需改變。


當抽屜高度一樣的情況下，在32毫米排鑽孔上，全拉出路軌與部分拉出路軌的安裝位置。區別在于，全拉出路軌需高出一格安裝。

Installation technological information


安裝技術信息



Installing Demonstration
安裝示範圖



Installation Dimension
固定軌安裝孔位



Powder Coated Slide (Ferrari Type)

DS-FLL 噴粉托底滑軌(法拉利款)



Powder Coated Slide (Ferrari Type)

Material: Cold-rolled steel

Finish:Paint (black / white / brown)

Max load: 25KG/SET

Dimension:10" 12" 14" 16" 18" 20" 22" 24"

Features:High Quality cold rolled steel

International advanced spray-paint technology
The high intensity wear-proof sliding roller
can make it smoothly and silently
Adjusting simply front connector,so that
Front-panel position is very accurate.

噴粉托底滑軌(法拉利款)

主要材質：冷扎鋼板

表面處理：噴漆(黑色、白色、棕色)


最大承重: 25KG/套

產品規格: 10" 12" 14" 16" 18" 20" 22" 24"

產品特性：選用優秀冷扎鋼板，製造

採用國際先進噴塗技術，無毒環保，有效防止腐蝕及生鏽
採用高強度耐磨塗層，使滑軌抽出時平滑順暢且低噪音
簡單地調節前連接件使得面板定位非常準確

抽屜長度 (L)	10" (250mm)	12" (300mm)	14" (350mm)	16" (400mm)	18" (450mm)	20" (500mm)	22" (550mm)	24" (550mm)
抽屜抽出長度 (A)	174.5mm	224.5mm	274.5mm	316.5mm	366.5mm	416.5mm	446.5mm	496.5mm



Optional Wheel 可選輪子



01



02



03



04

NOTE

便簽